



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>





BRISTOL NURSERY.

Catalogue

OF

FOREST TREES,

EVERGREEN AND FLOWERING SHRUBS,

FRUIT TREES,

HERBACEOUS, GREEN-HOUSE, AND HOT-HOUSE

PLANTS,

CULTIVATED AND SOLD BY

JOHN MILLER,

Nurseryman, Seedsman, and Florist,

BRISTOL.

1826.

A. BROWN, PRINTER, BRISTOL MIRROR OFFICE.

Recd. Apr. 1907.

Rg.
MP 61

HARDY TREES AND SHRUBS.

Those marked * are Climbers.

Those § succeed best against Walls.

Those ‡ are Evergreens.

| | | | |
|-----------------------------|-------------------|-------------------------|---------------------|
| ACACIA | ACACIA | Pavia | red-flowered |
| § Julibrissin | Silk Rose | β <i>Lyoni</i> | large red-flowered |
| ACER | MAPLE | γ <i>macrocarpa</i> | long-fruited |
| tataricum | Tartarian | δ <i>erythrophylla</i> | red-leaved |
| Pseudo-Platanus | Sycamore | flava | yellow |
| β <i>foliis variegatis</i> | com. variegated | macrostachya | long-spiked |
| γ <i>fol. ex albo var.</i> | silver variegated | pallida | pale |
| δ <i>fol. ex aureo var.</i> | gold variegated | discolor | dwarf |
| ε <i>discolor</i> | dark variegated | ohiotensis | sm., or buck's eye |
| § <i>scoticum</i> | costorphine plane | humilis | low |
| rubrum | red | AILANTHUS | AILANTHUS |
| dasy carpum | Sir Chas. Wager's | glandulosa | Chinese |
| saccharinum | sugar | ALNUS | ALDER |
| platanoides | Norway | glutinosa | common |
| β <i>laciniatum</i> | cut-leaved Norway | β <i>laciniata</i> | cut-leaved |
| montanum | mountain | γ <i>asyacanthoides</i> | hawthorn-leaved |
| Pennsylvanicum | striped barked | oblongata | Turkey |
| nigrum | black sugar | incana | elm-leaved |
| campestre | common | serrulata | saw-leaved |
| Opalus | Italian | undulata | wave-leaved |
| opulifolium | Guelder rose-lea. | cordata | heart-leaved |
| monspessulanum | Montpellier | AMELANCHIER | AMELANCHIER |
| ‡ <i>creticum</i> | Cretan | vulgaris | common |
| Negundo | ash-leaved | Botryapium | socacoy |
| β <i>violaceum</i> | blue-branched | ovalis | oval |
| barbatum | bearded | AMORPHA | BASTARD INDIGO |
| hybridum | Hybrid | fruticosa | shrubby |
| macrocarpum | long-fruited | AMPELOPSIS | AMPELOPSIS |
| eriocarpum | woolly-fruited | cordata | heart-leaved |
| coccineum | scarlet | quinquefolia | Virginian creeper |
| ÆSCULUS | HORSE CHESNUT | hirsuta | hirsute |
| Hippocastanum | common | AMYGDALUS | ALMOND, &c. |
| β <i>fol. ex albo var.</i> | silver-striped | Persica | peach |
| γ <i>fol. ex aureo var.</i> | gold-striped | β <i>plena</i> | double-bloss. peach |
| variegata | vari. Carolinian | γ <i>nectarina</i> | nectarine |
| rosea | rose-coloured | communis | sweet almond |
| coccinea | scarlet | β <i>alba</i> | white almond |

HARDY TREES AND SHRUBS.

| | | | |
|-------------------------|------------------------|-------------------------|--------------------|
| AMYGDALUS | ALMOND, &c. | ATRIPLEX | ORACH |
| γ <i>sinensis</i> | <i>Chinese almond</i> | † <i>Halimus</i> | great shrubby |
| <i>amara</i> | bitter almond | † <i>Portulacoides</i> | small shrubby |
| <i>pumila</i> | double dwarf alm. | AUCUBA | GOLD PLANT |
| <i>nana</i> | single dwarf alm. | † <i>Japonica</i> | blotched-leaved |
| ANDROMEDA | ANDROMEDA | AZALEA | AZALEA |
| <i>mariana</i> | oval-leaved | <i>Viscosa</i> | white sweet scent. |
| † <i>pulverulenta</i> | powdered | β <i>plena</i> | double white |
| † <i>polifolia</i> | wild rosemary | γ <i>præcox</i> | early white |
| † β <i>latifolia</i> | broad-leaved | δ <i>scrotina</i> | late white |
| † γ <i>angustifolia</i> | narrow-leaved | ε <i>rubescens</i> | late red |
| † δ <i>subulata</i> | awl-leaved | ζ <i>vittata</i> | striped flowered |
| <i>paniculata</i> | panicked | η <i>fiava</i> | narrow petaled |
| β <i>pubescens</i> | pubescent | <i>nudiflora</i> | naked-flowered |
| † <i>serratifolia</i> | saw-leaved | β <i>carnea</i> | early-blush |
| <i>arborea</i> | sorrel tree | γ — <i>plena</i> | double-blush |
| † <i>Catesbæi</i> | Catesby's | δ <i>coccinea</i> | scarlet |
| † <i>axillaris</i> | axil-flowered | ε — <i>major</i> | large scarlet |
| <i>cassinefolia</i> | cassine-leaved | ζ <i>concolor</i> | one-coloured |
| β <i>speciosa</i> | large-flowered | η <i>crispa</i> | curled |
| † <i>coriacea</i> | leathery-leaved | δ <i>cuprea</i> | copper-coloured |
| † <i>acuminata</i> | acute-leaved | ι <i>discolor</i> | various coloured |
| † <i>calyculata</i> | box-leaved | κ <i>elegans</i> | elegant |
| † β <i>latifolia</i> | broad-leaved | λ <i>flammea</i> | flame-coloured |
| † γ <i>ventricosa</i> | globe-flowered | μ <i>floribunda</i> | cluster-flowered |
| † δ <i>nana</i> | dwarf | ν <i>formosa</i> | beautiful |
| <i>obtusifolia</i> | blunt-leaved | ξ <i>fragrans</i> | violet scented |
| ARALIA | ARALIA | ο <i>papilionacea</i> | variegated |
| <i>spinosa</i> | <i>Angelic tree</i> | π <i>purpurea</i> | purple |
| ARBUTUS | STRAWBERRY TREE | ρ — <i>scrotina</i> | late purple |
| † <i>unedo</i> | common | σ <i>rosea</i> | nosegay |
| † β <i>rubra</i> | scarlet-flowered | τ <i>rubro-staminea</i> | red stamened |
| † γ <i>plena</i> | double-flowered | υ <i>rutilans</i> | red |
| † δ <i>crispa</i> | curled-leaved | φ — <i>odorata</i> | sweet scented red |
| † ε <i>variegata</i> | variegated-leaved | χ — <i>plena</i> | double red |
| † ζ <i>quercifolia</i> | oak-leaved | ψ <i>semiplena</i> | semi-double |
| † <i>Andrachne</i> | Eastern | ω <i>speciosa</i> | specious |
| † <i>hybrida</i> | Hybrid | αα <i>variabilis</i> | changeable |
| † ARCTOSTAPHYLOS | Arctostaphylos | ββ <i>versicolor</i> | various coloured |
| † <i>alpina</i> | Alpine | <i>calendulacea</i> | orange |
| <i>Arbutus alpina</i> | | β <i>flammea</i> | large orange |
| † <i>Uva-ursi</i> | bear-berry | <i>pontica</i> | pontic |
| <i>Arbutus Uva-ursi</i> | | β <i>alba</i> | white-flowered |
| ARISTOLOCHIA | BIRTH-WORT | γ <i>rubescens</i> | red tubed |
| * <i>Sipho</i> | broad-leaved | <i>bicolor</i> | two-coloured |
| ARISTOTELIA | ARISTOTELIA | <i>nitida</i> | shining |
| <i>Macqui</i> | shining-leaved | <i>glauca</i> | glaucous |
| β <i>variegata</i> | variegated | <i>hispida</i> | hispid |
| ARTEMISIA | ARTEMISIA | <i>salicifolia</i> | willow-leaved |
| <i>Abrotanum</i> | southern-wood | <i>canescens</i> | downy |
| ASIMINA | ASIMINA | <i>procumbens</i> | trailing |
| <i>Triloba</i> | custard-apple | BACCHARIS | BACCHARIS |
| <i>Annona triloba</i> | | <i>halimifolia</i> | groundsel tree |
| ASTRAGALUS | MILK-VETCH | BERBERIS | BARBERRY |
| <i>Tragacantha</i> | goat's-thorn | <i>vulgaris</i> | common |
| ATRAGENE | ATRAGENE | | |
| * <i>Alpina</i> | Austrian | | |
| * <i>Sibirica</i> | Siberian | | |
| * <i>Americana</i> | American | | |

BERBERIS*β asperma**γ alba*

Canadensis

sinensis

† cretica

ilicifolia

Sibirica

aristata

† aquifolium (*new*)**BETULA**

alba

β variegata

pendula

β margaritacea

populifolia

excelsa

nigra

papyracea

nana

pontica

platyphylla

fruticosa

BIGNONIA

‡ capreolata

‡ radicans

• *β major***BORYA**

ligustrina

*Adelia-ligustrina***BROUSSONETIA**

papyrifera

BUDDLEA

‡ ‡ globosa

BUMELIA

lycloides

BUPLEURUM

† fruticosum

BUXUS

† sempervirens

† *β marginata*† *γ fol. ex argent var. silver-striped*† *δ fol. ex aureo var. gold-striped*† *ε crispa*† *ζ variegata*† *η angustifolia*

‡ suffuticosa

balearica

CALLICARPA

americana

CALYCANTHUS

floridus

fertilis

laevigatus

bullatus

glaucus

gracilis

nova sp. ?

CARAGANA

sibirica

BARBERRY

maiden

white fruited

Canadian

Chinese

cretan

ilex-leaved

Siberian

nepal

holly-leaved

BIRCH TREE

common

variegated

true weeping

common weeping

poplar-leaved

tall

black American

paper

dwarf

pontic

broad-leaved

shrubby

TRUMPET-FLOWER

four-leaved

small ash-leaved

large ash-leaved

BORYA

privet-leaved

BROUSSONETIA

paper mulberry

BUDDLEA

round-headed

BUMELIA

box-thorn

HARE'S-EAR

shrubby

BOX-TREE

common tree-box

gold tipped

silver-striped

gold-striped

curled-leaved

var. curled-leaved

myrtle-leaved

dwarf

Minorca

CALLICARPA

American

CALYCANTHUS

Carolina allspice

fertile

smooth

puckered

glaucous

slender

New American

CARAGANA

pea tree

CARAGANA

altagana

spinosa

β lasa

Halodendron

Chamlaqu

frutescens

pygmaea

arenaria

CARPINUS

Betulus

*β fol. ex aureo var. gold blotched**γ incisa**δ coccinea*

americana

CASTANEA

vesca

*β variegata**γ asplenifolia**δ lucida*

pumila

*β macrocarpa***CATALPA**

syringifolia

CEANOTHUS

americanus

CELASTRUS

* scandens

CELTIS

australis

occidentalis

CEPHALANTHUS

occidentalis

CERCIS

‡ Siliquastrum

‡ canadensis

CHIMONANTHUS

‡ fragrans

Calycanthus praecox‡ *β lutea***CHIONANTHUS**

virginica

CINERARIA

maritima

CISTUS

‡ albidus

‡ candidissimus

‡ corborensis

‡ creticus

‡ crispus

‡ heterophyllus

‡ hirsutus

‡ incanus

‡ ladaniferus

‡ *β maculatus*‡ *γ salicifolius*

‡ latifolius

‡ laurifolius

‡ laxus

‡ monspeliensis

CARAGANA

Siberian

spiny

loose-branched

salt tree

shining-leaved

shrubby

pygmy

sand

HORNBEAM TREE

common

cut-leaved

red leaved

American

CHESNUT TREE

common

variegated

fern-leaved

shining-leaved

chinquapin

large-fruited

CATALPA

common

CEANOTHUS

American

STAFF-TREE

climbing

NETTLE-TREE

European

American

BUTTON-WOOD

American

JUDAS-TREE

European

American

CHIMONANTHUS

Japan allspice

yell. Jap. allspice

FRINGE-TREE

Virginian

CINERARIA

sea rag-wort

ROCK-ROSE

white

Canary Island

small poplar-lea.

cretan

curled-leaved

various-leaved

hairy

hoary-leaved

gum

spotted gum

willow-leaved gum

broad-leaved

laurel-leaved

wave-leaved

Montpellier

| | | | | | |
|--------------------|--|------------------------|--|--------------------------|-----------------------------|
| CISTUS | | Rock-Rose | | COTONEASTER | COTONEASTER |
| † parviflorus | | small-flowered | | melanocarpa | black-fruited |
| † populifolius | | large poplar-leav. | | CRATÆGUS | HAWTHORN |
| † purpureus | | purple-flowered | | acerifolia | maple-leaved |
| † salvifolius | | sage-leaved | | apiifolia | parsley-leaved |
| † vaginatus | | sheathed | | Aronia | wedge-leaved |
| † villosus | | villous | | axillaris | axil-flowered |
| CLEMATIS | | VIRGIN'S BOWER | | Azarolus | Azarole |
| * cirrhosa | | evergreen | | caroliniana | Carolinian |
| § florida | | large-flowered | | carpatica | Carpathian |
| § <i>β plena</i> | | <i>double-flowered</i> | | celsiana | Cels's |
| * viticella | | single purple | | coccinea | Canadian Cocksp. |
| * <i>β plena</i> | | <i>double-purple</i> | | corallina | red-branched |
| * <i>γ rubra</i> | | <i>single pink</i> | | cordata | large maple-leav. |
| * viorna | | leathery | | edulis | eatable |
| * crispata | | curled | | Crus-galli | Virginian Cocksp. |
| * calycina | | Minorca | | <i>β pyracanthifolia</i> | <i>pyracantha-leaved</i> |
| * orientalis | | Eastern | | <i>γ salicifolia</i> | <i>willow-leaved</i> |
| * virginiana | | Virginian | | elliptica | elliptic-leaved |
| * vitalba | | traveller's joy | | eriocarpa | woolly-fruited |
| * flammula | | sweet-scented | | flava | yellow-fruited |
| * triternata | | triternate | | fissa | cut-leaved |
| CLETHRA | | CLETHRA | | florida | large-flowered |
| alnifolia | | alder-leaved | | glandulosa | hollow-leaved |
| paniculata | | panicked | | grossularifolia | gooseberry-leav. |
| acuminata | | acuminate | | incisa | jagged-leaved |
| scabra | | rough | | laciniata | laciniate |
| tomentosa | | woolly | | linearis | narrow-leaved |
| COLUTEA | | BLADDER-SENNA | | lucida | shining-leaved |
| arborescens | | common | | macracantha | long-spined |
| cruenta | | red flowered | | maroccana | Morocco |
| Pocockii | | Pocock's | | mexicana | Mexican |
| COMPTONIA | | COMPTONIA | | monogyna | monogynous |
| asplenifolia | | fern-leaved | | nigra | black |
| CORIARIA | | CORIARIA | | odoratissima | sweet-scented |
| myrtifolia | | myrtle-leaved | | Oliveriana | Oliver's |
| nova ? | | New ? | | orientalis | Eastern |
| CORNUS | | DOGWOOD | | Oxyacantha | white-thorn |
| florida | | great-flowered | | <i>β plena</i> | <i>double-blossomed</i> |
| mascula | | cornelian cherry | | <i>γ rosea</i> | <i>scarlet-flowered</i> |
| sanguinea | | common | | <i>δ — major</i> | <i>large scarlet-flow.</i> |
| <i>β variegata</i> | | <i>variegated</i> | | <i>ε variegata</i> | <i>variegated</i> |
| alba | | white-berried | | <i>ξ aurea</i> | <i>yellow-fruited</i> |
| <i>β variegata</i> | | <i>variegated</i> | | <i>η stricta</i> | <i>upright</i> |
| sericea | | blue-berried | | <i>θ praeox</i> | <i>Glastonbury</i> |
| circinata | | round-leaved | | parvifolia | small-leaved |
| stricta | | upright | | pennsylvanica | Pennsylvanian |
| paniculata | | panicked | | punctata | spotted red-fruit. |
| alternifolia | | alternate-leaved | | <i>β flava</i> | <i>spotted yel.-fruited</i> |
| sibirica | | Russian | | purpurea | purple-fruited |
| CORONILLA | | CORONILLA | | pyrifolia | pear-leaved |
| Emerus | | Scorpion-Senna | | † § <i>Pyracantha</i> | evergreen thorn |
| CORYLUS | | HAZEL-NUT-TREE | | sanguinea | red-branched |
| Avellana | | common | | sibirica | Siberian |
| Americana | | American | | spatulata | spatula-leaved |
| rostrata | | Cuckold | | spinosissima | sharp-spined |
| Colurna | | Constantinople | | tormalis | wild service |
| COTONEASTER | | COTONEASTER | | virginica | Virginian |
| vulgaris | | com. downy-leaved | | viridis | green |
| tomentosa | | downy-fruited | | CUPRESSUS | CYPRESS |
| affinis | | tomentosa-like | | † sempervirens | Italian |
| acuminata | | painted | | | |

CUPRESSUS

- † *β horizontalis*
- † *lusitanica*
- disticha*
- β pendula*
- † *thyoides*

CYDONIA

- communis*
- § *sinensis*
- § *japonica*
- Pyrus japonica*

β pallida

CYTISUS

Laburnum

- β foliis variegatis*
- alpinus*

β giganteus

nigricans

sessilifolius

purpureus

β albus

supinus

capitatus

argenteus

elongatus

calycinus

DAPHNE

Mezereum

β album

γ autumnale

† *Tartan-raira*

alpina

† *laureola*

† *pontica*

Gnidium

Cneorum

† *β roseum*

† *collina*

† *β Neapolitana*

† *oleoides*

altaica

DIERVILLA

humilis

Lonicera diervilla

DIOSPYROS

Lotus

virginiana

DIRCA

palustris

EDWARDSIA

§ *grandiflora*

§ *microphylla*

ELÆAGNUS

angustifolia

argentea

EMPETRUM

† *nigrum*

† *album*

EPHEDRA

monostachya

EPIGÆA

repens

CYPRESS

male-spreading.

cedar of Goa

deciduous

drooping

white cedar

QUINCE TREE

common

Chinese

Japan

white-flowered

CYTISUS

Laburnum

variegated

Scotch laburnum.

giant

black-rooted

common

purple-flowered

white-flowered

trailing

cluster-flowered

silvery

long-spiked

large-calyxed

DAPHNE

red mezereon

white

Autumnal

silvery

alpine

spurge-laurel

Pontic

flax-leaved

trailing

variegated

hairy

Neapolitan

olive-leaved

Siberian

DIERVILLA

common

DIOSPYROS

European

Persimon plum

LEATHER-WOOD

Marsh

EDWARDSIA

large-flowered

small-leaved

OLEASTER

narrow-leaved

silvery

CROW-BERRY

black-fruited

white-fruited

EPHEDRA

small

EPIGÆA

creeping

ERICA

† *arboorea*

† *australis*

† *carnea*

† *ciliaris*

† *cinerea*

† *β alba*

† *mediterranea*

† *minima*

scoparia

stricta

tetralix

β alba

vagens

β alba

vulgaris

β plena

γ alba

ERIOBOTRYA

† *§ japonica*

Mespilus japonica

EUONYMUS

europæus

β albus

γ humilis

verrucosus

latifolius

atropurpureus

† *americanus*

FAGUS

sylvatica

β variegata

γ asplenifolia

δ laciniata

ε purpurea

ζ cuprea

η pendula

ferruginea

FONTANESIA

phillyræoides

FOTHERGILLA

alnifolia

FRAXINUS

acuminata

amarissima

americana

atro-virens

caroliniana

cinerea

epiptera

excelsior

β aurea

γ alba

δ argentea

ε nigra

ζ pendula

fungosa

horizontalis

jaspidea

HEATH

tree

Spanish

early-flowering

Portugal

fine-leaved

white-flowered

Mediterranean

least

small green-flow.

straight-branch.

cross-leaved

white-flowered

Cornish

white-flowered

common

double-flowered

white-flowered

LOQUAT

common

SPINDLE-TREE

common

white-fruited

dwarf

warted

broad-leaved

long-leaved

evergreen

BEECH-TREE

common

striped-leaved

fern-leaved

cut-leaved

purple

copper

weeping

rusty-leaved

FONTANESIA

phillyrea-leaved

FOTHERGILLA

obtus-leaved

ASH-TREE

acuminate

bitter

white American

dark-green

carolina

grey-barked

epipterous

common

gold-barked

white

silver-striped

black English

weeping

spongy

spreading

striped-barked

FRAXINUS

β Thousiana
juglandifolia
lentiscifolia
nana
nigra
ovalis
oxycarpa
oxyphylla
pallida
pannosa
parvifolia
β viridis
platycarpa
pubescens
quadrangularis
sambucifolia
β Wildenowii
simplicifolia
Theophrasti
verrucosa
Virens
Viridis

For Manna Ash, &c. see ORNUS

GAULTHERIA

↑ procumbens

GELSEMIUM

↑ § sempervirens

Bignonia sempervirens

GENISTA

triquetra

sagittalis

sibirica

β pilosa

hispanica

↑ candicans

GLEDITSCHIA

triacanthos

β inermis

γ brachyacantha

δ fuscata

horrida

monosperma

brachycarpa

caspica

sinensis

GLYCINE

frutescens

§ sinensis

GORDONIA

Lasianthus

pubescens

GYMNOCLADUS

Canadensis

Guaianina dioica

HALESIA

tetraptera

diptera

parvifolia

HAMAMELIS

virginica

ASH-TREE

Thousin's

walnut-leaved

lentiscus-leaved

dwarf

black

oval

sharp-keyed

acute-leaved

pale

cloth-leaved

small-leaved

green-twigged

broad-keyed

black American

square-branched

elder-leaved

Wildenow's

one-leaved

Theophrasti's

warted

late-growing

green

GAULTHERIA

Trailing

GELSEMIUM

evergreen

GENISTA

triangular

jointed

Siberian

hairy-Siberian

Spanish

evergreen cytisus

GLEDITSCHIA

three-thorned

smooth

short-spined

brown-barked

strong-spined

one-seeded

short-fruited

Caspian

Chinese

GLYCINE

Car. kid. bean tree

Chinese

GORDONIA

smooth

pubescent

GYMNOCLADUS

Canadian

SNOW-DROP-TREE

four-winged

two-winged

small-leaved

HAMAMELIS

Virg. Wych Hazel

HARTOGIA

↑ capensis

HEDERA

↑ Helix

↑ *β fol. ex albo var. silver-striped*

↑ *γ fol. ex aureo var. gold-striped*

↑ vegeta

↑ chrysocarpa

↑ palmata

HELIANTHEMUM

↑ algarvense

↑ alpeatre

↑ Canadense

↑ formosum

↑ fumana

↑ halimifolium

↑ libanotis

↑ lævipes

↑ leptophyllum

↑ marifolium

↑ ocyroides

↑ polygalæfolium

↑ rhodanthum

↑ roseum

↑ *β plenum*

↑ tomentosum

↑ tuberaria

↑ umbellatum

↑ venustum

↑ vulgare

HIBISCUS

syriacus

β plenus

γ variegatus

δ — plenus

ε ruber

ζ — plenus

η purpureus

θ — plenus

i foliis variegatis

HIPPOPHAE

rhamnoides

β feminea

Canadensis

sibirica

HYDRANGEA

arborescens

hortensis

β cœrulea

radiata

quercifolia

HYPERICUM

androsæmum

calycinum

kalmianum

HYSSOPUS

↑ officinalis

↑ *β variegatus*

HARTOGIA

small cape-laurel

IVY

common

giant, or Irish

yellow-berried

palmate

SUN-ROSE

↑ algarve

↑ alpine

↑ Canadian

↑ large yel. flowered

↑ heath-like

↑ sea-purslane-lyd.

↑ rosemary-leaved

↑ cluster-leaved

↑ narrow-leaved

↑ marum-leaved

↑ basil-like

↑ milk-wort-leaved

↑ dark rose-color'd

↑ rose-coloured

↑ *double rose-colored*

↑ variegated-leaved

↑ plantain-leaved

↑ umbel-flowered

↑ charming

↑ double yellow

HIBISCUS

wte. althæa frutex

double white

painted lady

double painted lady

red

double red

purple

double purple

striped-leaved

SEA-BUCKTHORN

common

fruit bearing

Canadian

Siberian

HYDRANGEA

shrubby

changeable

blue flowered

white-leaved

oak-leaved

ST. JOHN'S-WORT

upright tutsan

dwarf tutsan

kalmia-leaved

HYSSOP

common

variegated

| | | | |
|---------------------------------|--------------------------------------|---------------------------|---------------------|
| IBERIS | CANDY-TUFT | KALMIA | KALMIA |
| † <i>sempervirens</i> | evergreen | † <i>angustifolia</i> | narrow-leaved |
| † <i>frutescens</i> | tall evergreen | † <i>β variegata</i> | variegated |
| ILEX | HOLLY | † <i>γ autumnalis</i> | late-flowering |
| † <i>cassine</i> | dahoon | † <i>nana</i> | dwarf crimson |
| † <i>opaca</i> | Carolina | † <i>glauca</i> | glaucous |
| † <i>Perado</i> | Madeira | KERRIA | KERRIA |
| † <i>prinoides</i> | deciduous | <i>japonica</i> | Japan |
| † <i>balearica</i> | Minorca | <i>Corchorus japonica</i> | |
| † <i>aquifolium</i> | common | KOELREUTERIA | KOELREUTERIA |
| † <i>β chrysmocarpa</i> | yellow-berried | <i>paniculata</i> | Japan |
| † <i>γ crassifolia</i> | recurved | LAVANDULA | LAVANDER |
| † <i>δ floribunda</i> | cluster-flowered | † <i>spica</i> | common |
| † <i>ε heterophylla</i> | various leaved | † <i>β alba</i> | white-flowered |
| † <i>ξ latifolia</i> | High-clere | † <i>latifolia</i> | broad-leaved |
| † <i>η microcarpa</i> | slender-leaved | † <i>stachas</i> | French |
| † <i>θ myrtifolia</i> | myrtle-leaved | LAURUS | LAURUS |
| † <i>ι Scotica</i> | Scotch | † <i>nobilis</i> | sweet bay-tree |
| † <i>κ ferox</i> | green hedgehog | † <i>β variegata</i> | variegated |
| † <i>λ — aurea</i> | gold blotched h.hog | † <i>γ latifolia</i> | broad-leaved |
| † <i>μ — pallida</i> | silver striped h.hog | † <i>δ angustifolia</i> | narrow-leaved |
| | With many other variegated varieties | † <i>ε undulata</i> | wave-leaved |
| ITEA | ITEA | <i>Benzoin</i> | Benjamin-tree |
| † <i>Virginica</i> | † <i>Virginian</i> | <i>sassafras</i> | sassafras-tree |
| IVA | IVA | <i>geniculatus</i> | jointed |
| † <i>frutescens</i> | { shrubby jesuits'- bark | LEDUM | LEDUM |
| JASMINUM | JASMINE | † <i>palustre</i> | narrow-leaved |
| † <i>fruticans</i> | yellow | † <i>β decumbens</i> | dwarf |
| † <i>humile</i> | yellow Italian | † <i>latifolium</i> | broad-leaved |
| † <i>officinale</i> | white | † <i>buxifolium</i> | box-leaved |
| † <i>§ β fol. ex albo var.</i> | silver-striped | LIGUSTRUM | PRIVET |
| † <i>§ γ fol. ex aureo var.</i> | gold-striped | † <i>vulgare</i> | common |
| † <i>§ revolutum</i> | curled-flowered | † <i>β variegatum</i> | variegated |
| JUGLANS | WALNUT TREE | † <i>γ virens</i> | evergreen |
| † <i>regia</i> | common | † <i>δ chrysocarpum</i> | yellow-berried |
| † <i>nigra</i> | black American | † <i>§ lucidum</i> | Chinese wax tree |
| † <i>cinerea</i> | Gray | † <i>§ β floridum</i> | quick-flowering |
| † <i>ficiformis</i> | fig-shaped | LINNÆA | LINNÆA |
| † <i>amara</i> | bitter | † <i>borealis</i> | two-flowered |
| † <i>alba</i> | white hickery | LIQUIDAMBAR | LIQUID-AMBER |
| † <i>squamosa</i> | squamosose | † <i>styraciflua</i> | maple-leaved |
| † <i>porcina</i> | hog's | † <i>imberbe</i> | Eastern |
| JUNIPERUS | JUNIPER, &c. | LIRIODENDRON | TULIP TREE |
| † <i>alpina</i> | alpine | † <i>tulipifera</i> | common |
| † <i>Sabina</i> | Savin | † <i>β obtusiloba</i> | obtuse-lobed |
| † <i>β variegata</i> | variegated | LONICERA | HONEY-SUCKLE |
| † <i>γ tamaricifolia</i> | Tamarisk-leaved | † <i>Periclymenum</i> | Dutch |
| † <i>communis</i> | common | • <i>β variegata</i> | striped-leaved |
| † <i>suecica</i> | Swedish | • <i>γ belgica</i> | red Dutch |
| † <i>hibernica</i> | Irish | • <i>δ serotina</i> | late-red |
| † <i>virginiana</i> | Virginian cedar | • <i>ε quercifolia</i> | oak-leaved |
| † <i>prostrata</i> | prostrate | • <i>caprifolium</i> | white Italian |
| † <i>phoenicea</i> | Phoenician cedar | • <i>β rubra</i> | red Italian |
| † <i>sinensis</i> | Chinese | • <i>γ albida</i> | pale Italian |
| KALMIA | KALMIA | † <i>dioica</i> | glaucous |
| † <i>latifolia</i> | broad-leaved | † <i>sempervirens</i> | Virginian trump. |
| † <i>β coccinea</i> | red-flowered | † <i>§ β minor</i> | Carolina trumpet |
| † <i>nitida</i> | shining | † <i>§ coccinea</i> | red mountain |

| | | | |
|--------------------|-------------------------|-----------------------|--------------------------|
| LONICERA | HONEYSUCKLE | ONONIS | REST-HARROW |
| § flava | bright yellow | fruticosa | shrubby |
| † § grata | evergreen | ORNUS | FLOWERING ASH |
| † § implexa | Minorca | europæa | European |
| § japonica | sweet scen. Japan | rotundifolia | manna |
| § pubescens | hairy | OSTRYA | HOP HORNB. TREE |
| † § flexuosa | zig-zag | vulgaris | common |
| † § tatarica | pink Tartarian | virginica | Virginian |
| § alba | white Tartarian | OXYCOCCOS | CRANBERRY |
| nigra | black | † palustris | English |
| Xylosteum | fly | † macrocarpus | American |
| cærulea | blue | † § variegatus | striped-leaved |
| alpigena | upright red berr. | † erythrocarpus | red-fruited |
| pyrenaica | Pyrenean | PÆONIA | PÆONY |
| LYCIUM | Box-THORN | Moutan <i>Banksii</i> | tree |
| * barbarum | willow-leaved | § papaveracea | poppy-flowered |
| horridum | thorny | γ rosea | rose-scented |
| ruthenicum | Russian | PASSIFLORA | PASSION FLOWER |
| * § sinense | Chinese | * § cærulea | common |
| MAGNOLIA | MAGNOLIA | PERIPLOCA | PERIPLOCA |
| † § grandiflora | laurel-leaved | * græca | Virginian silk |
| † § § ferruginea | Esomouth | PHILADELPHUS | SYRINGA |
| † § γ obovata | broad-leaved | coronarius | common |
| † § § lanceolata | long-leaved | § variegatus | variegated |
| glaucia | swamp | nanus | dwarf |
| § gracilis | Thomson's | inodorus | scentless |
| † longifolia | evergreen swamp | grandiflorus | large-flowered |
| § obovata | purple | PHILLYREA | PHILLYREA |
| acuminata | blue-flowered | † latifolia | broad-leaved |
| conspicua | downy-leaved | † ilicifolia | ilex-leaved |
| tripetala | umbrella | † obliqua | oblique-leaved |
| macrophylla | long-leaved | † decussata | cross-leaved |
| auriculata | ear-leaved | † lævis | smooth-leaved |
| pyramidata | Bartram's | † media | intermediate |
| MEDICAGO | MEDICK | † virgata | privet-leaved |
| † § arborea | tree | † oleæfolia | olive-leaved |
| fruticulosa | shrubby | † pendula | drooping |
| MENISPERMUM | MOON-SEED | † buxifolia | box-leaved |
| * § canadense | Canadian | † angustifolia | narrow-leaved |
| * § carolinum | Carolinian | † § rosmarinifolia | rosemary-leaved |
| * § virginicum | Virginian | † γ brachiata | dwarf |
| MENZIESIA | MENZIESIA | PHLOMIS | PHLOMIS |
| polifolia | Irish | † fruticosa | Jerusalem sage |
| globularis | globe-fruited | † lanata | woolly |
| cærulea | Scotch | † purpurea | purple-flowered |
| MESPILUS | MESPILUS | PHOTINIA | PHOTINIA |
| germanica | medlar | † serrulata | smooth-leaved |
| grandiflora | large-flowered | † arbutifolia | arbutus-leaved |
| MORUS | MULBERRY | PINUS | PINE AND FIR TREE |
| alba | white | † sylvestris | Scotch fir |
| nigra | black | † Pumilio | mugho |
| rubra | red | † Pinaster | cluster pine |
| tatarica | Tartarian | † inops | Jersey |
| MYRICA | CAND. BER. MYRT. | † resinosa | pitch |
| gale | sweet gale | † halepensis | Aleppo |
| cerifera | American | † Pinea | stone |
| † β sempervirens | evergreen | † palustris | swamp |
| carolinensis | broad-leaved | † Cembra | Siberian |
| NYSSA | TUPELO TREE | † Strobilus | Weymouth |
| biflora | water | † Cedrus | cedar of Lebanon |
| tomentosa | woolly | † Larix | larch |

PINUS

microcarpa
 † picea
 † balsamea
 † canadensis
 † Abies
 † nigra
 † alba
 † Laricio
 † Frazeri
 † taurica
 † mitis
 † serotina

PISTACIA

trifoliata
 † Lentiscus

PLANERA

Richardi
Ulmus Nemoralis

PLATANUS

orientalis
 cuneata
 acerifolia
 occidentalis

POLYGALA

† Chamæ-buxus

POPULUS

alba
 canescens
 tremula
 trepida
 nigra
 viridis
 dilatata
 balsamifera
 candicans
 lævigata
 monilifera
 acladesca
 græca
 heterophylla
 angulata
 grandidentata
 macrophylla

POTENTILLA

fruticosa
 floribunda

PRINOS

verticillatus
 lævigatus
 † glaber

PRUNUS

Padus
 rubra
 serotina
 † lusitanica
 † Caroliniana
 † Lauro-cerasus
 † *ε variegata*
 † *γ angustifolia*
 Mahaleb
 Armeniaca

PINE AND FIR TREE

red larch
 silver-fir
 Balm of Gilead
 hemlock spruce
 Norway spruce
 black spruce
 white spruce
 Corsican
 Frazer's
 Daurian
 weak-leaved
 fox tail

PISTACIA TREE

official
 mastic tree

PLANERA

hornbeam-leaved

PLANE TREE

oriental
 wedge-shaped
 Spanish
 occidental

MILK WORT

box-leaved

POPLAR TREE

abele
 white poplar
 asp
 American asp
 black
 green
 Lombardy
 true tacamahac
 great tacamahac
 smooth
 Canadian
 black Italian
 Athenian
 various-leaved
 Carolina
 large-toothed
 Ontario

CINQUEFOIL

shrubby
 cluster-flowered

WINTER-BERRY

deciduous
 smooth
 evergreen

PLUM-TREE, &c.

com. bird cherry
 Cornish
 American
 Portugal laurel
 Carolina
 common laurel
variegated
narrow-leaved
 perfumed cherry
 apricot

PRUNUS

sibirica
 Chamæ-cerasus
 Cerasus
ε plena
 cerasoides
 avium
 semperfloréns
 nigra
 pumila
 domestica
 insititia
 cerasifera
 prostrata
 Susquehana
 chicensa
ε flava
 japonica
 virginiana
 hyemalis
 dasycarpa
 floridana
 pubescens
 PTELEA
 trifoliata
 PUNICA
 § Granatum
 § *ε plena*
 § *γ flava*

PYRUS

communis
ε variegata
γ — major
 nivalis
 Pollveria
 spectabilis
 Malus
ε argentea
 prunifolia
 angustifolia
 baccata
 hyemalis
 coronaria
 Aucuparia
 canadensis
 lanuginosa
 pinnatifida
 domestica
 edulis
 Aria
ε ovalis
 cretica
 sorbifolia
 intermedia
 latifolia
 chamæ-mespilus
 arbutifolia
ε rubra
γ pallida
 melanocarpa

PLUM TREE, &c.

purple apricot
 weeping cherry
 common cherry
double-blossomed
 Chinese dou. flow.
 bk. polstead cher.
 All-Saints
 black
 dwarf
 plum
 bullace
 cherry-plum
 trailing
 glaucous
 chicensa
yellow-fruited
 Japan
 Virginian
 winter
 black apricot
 Florida
 pubescent

SHRUBBY TREFOIL

three-leaved

POMEGRANATE

single-flowered
double
yellow

PYRUS

com. pear-tree
sm. striped-leaved
lar. striped-leaved
 snowy
 powdered
 double-flowered
 crab tree
silver-striped
 Siberian crab
 evergreen
 small Siberian
 winter cherry crab
 sweet-scented
 mountain ash
 Canadian m. ash
 downy Can. m. ash
 bastard m. ash
 true service
 eatable
 white-beam
long-leaved
 cretan
 sorbus-leaved
 Swedish
 broad-leaved
 bastard quince
 Ly. Hardwick's shrub
red-fruited
pale-fruited
 dwarf

PYRUS

salicifolia
præcox
sinaica
sinensis
nepalensis
floribunda
grandiflora
montana

QUERCUS

Robur
pedunculata
♂ *variegata*
γ *heterophylla*
Cerris
♂ *variegata*
γ *exoniensis*
† δ *sinuata*
♂ *subdecidua*
phellos
† virens
† laurifolia
† Gramuntia
† flex
† ballota
Turneri
† suber
† coccifera
aquatica
elongata
tinctoria
rubra
coccinea
palustris
Banisteri
Ægilops
alba
Esculus
ambigua
falcata
Catesbæi
flava
hybrida

RHAMNUS

catharticus
infectorius
saxatilis
alpinus
Frangula
latifolius
alnifolius
† Alaternus
† β *maculatus*
† γ *fol. ex aur. var.*
† δ *fol. ex albo var.*
† *angustifolius*
† γ *variegatus*
♂ *sinensis*

RHODODENDRON

† ferrugineum
† hirsutum
† ♂ *variegatum*

PYRUS

willow-leaved
early-flowering
sinai
Chinese
Nepal
cluster-flowered
large-flowered
mountain

OAK TREE

sessile-fruited
long peduncled
striped-leaved
cut-leaved
Turkey
variegated turkey
Lucombe's
new Lucombe's
Fulham
willow-leaved
live
laurel-leaved
holly-leaved
evergreen
long-fruited
Turner's
Cork
Kermes
water
sickle-leaved
Dyer's
red
scarlet
marsh
Banister's
velani
white
Italian
ambiguous
Falcate
Catesby's
yellow
hybrid

BUCKTHORN &c.

common
yellow
Rock
Alpine
berry-bear. alder
broad-leaved
alder-leaved
b.-leav. Alaternus
blotched-leaved
gold-striped
silver-striped
narrow-leaved
striped-leaved
Chinese
ROSE-BAY
rusty-leaved
hairy-leaved
variegated

RHODODENDRON

† *catawbiense*
† ♂ *laurifolium*
dauricum
† ♂ *atrovirens*
† ponticum
† ♂ *roseum*
† γ *album*
† δ *atropurpureum*
† ♂ *roseo punctatum*
† ♂ *argenteum*
† η *magnoliæfolium*
† δ *variegatum*
† ι *glomeratum*
† κ *kalmianum*
† maximum
† ♂ *ellipticum*
† kamtschaticum
† chrysanthum
† punctatum
† subdeciduum
† hybridum
† arboreum

RHODORA

canadensis

RHUS

typhinum
glabra
elegans
vernix
copallina
radicans
aromatica
cotinus
nepalensis

RIBES

rubrum
♂ *variegatum*
petreum
procumbens
alpinum
♂ *pumilum*
nigrum
spicatum
diacanthum
multiflorum
oxyacanthoides
floridum
Grossularia
Uva-crispa
cynosbati
aureum
♂ *parviflorum*
missouriense

ROBINIA

Pseud-Acacia
monstrosa
viscosa
inermis
microphylla

ROSE-BAY

catawba
laurel-lev. catawba
daurian
dark-leaved
pontic
pink
white
dark-purple
rose-spotted
silver-striped
magnolia-leaved
striped harrow-lea.
clustered
willow-leaved
large American
broad-leaved
Kamtschatka
yellow-flowered
dotted-leaved
Thomson's hybrid
Herbert's hybrid
nepal tree

RHODORA

Canadian

SUMACH

stag's-horn
smooth
Carolina
varnish
lentiscus-leaved
poison oak
sweet-scented
Venetian
nepal

GOOSEBERRY, &c.

red-currant
striped-leaved
rock
procumbent
alpine
dwarf-alpine
black
spiked
two-spined
many-flowered
hawthorn-leaved
large-flowered
rough gooseberry
smooth gooseber.
prickly-fruited
yellow-flowered
small-yellow
Missouri

ROBINIA

{ common, or lo-
cust-tree
large
clammy
smooth
small-leaved

ROBINIA

tortuosa

hispida

6 *rosea*

ROSA

alba

alpina

6 *pendulina*

arvensis

† 6 *Banksiae*† 6 *flava*

Biebersteinii

† 6 *bracteata*† 6 *scabicaulis*

canina

carolina

centifolia

cinnamomea

damascena

dumetorum

fecundissima

ferox

fraxinifolia

gallica

hibernica

† 6 *indica*† 6 *involucrata*† 6 *Lawranceana*

laxa

lucida

lutea

majalis

moschata

6 *plena*6 *evratina** 6 *multiflora*

nitida

parviflora

parvifolia

rapa

rubella

rubiginosa

6 *mauveoleus*

rubrifolia

† 6 *sempervirens*† 6 *sempervirens** 6 *capreolata** 6 *sinica*

sulphurea

turbinata

villosa

Woodsii

See full Collection at the end of
Trees and Shrubs.

ROSMARINUS

ROSEMARY

† officinalis rosemary

† 6 *fol. ex aureovar. gold-striped*† 6 *fol. ex albo var. silver-striped*

RUBUS

BRAMBLE, &c.

Idæus

raspberry

ROBINIA

twisted

rose acacia

large rose acacia

ROSE

white

Alpine

pendulous

white-dog

Lady Banks's

yellow

Bieberstein's

true Macartney

{ rough stalked Ma-

cartney

double-dog

upright Carolina

Provius

single cinnamon

damask

downy dog

double cinnamon

hedge-hog

ash-leaved

official

{ Templeton's Irish

prize

China

false Macartney

Miss Lawrance's

spread. Carolina

single burnet

yellow

dwarf cinnamon

single musk

double musk

double red musk

many-flowered

labrador

Pennsylvanian

Burgundy

double burnet

long-fruit. Scotch

sweet-briar

American sweet-b.

red-leaved

red China

evergreen

Ayrshire.

white China

double-yellow

Frankfort

apple-bearing

Wood's

RUBUS

odoratus

Canadensis

* fruticosus

* 6 *variegatus** 6 *A. pleno** 6 *A. pl. rubro*

* laciniatus

cuneifolius

trivialis

strigosus

RUSCUS

† aculeatus

† Hypoglossum

† racemosus

RUTA

† graveolens

SALISBURIA

adiantifolia

SALIX

acuminata

amygdalina

Andersoniana

annulata

arbuscula

argentea

aurita

babylonica

bicolor

cærulea

caprea

carinata

Canadensis

cinerea

conifera

cotinifolia

croweana

decipiens

Dicksoniana

Forbyana

Forsteriana

fragilis

fusca

helix

hirta

Lambertiana

laurina

lucida

maliformis

mollissima

myrsinites

nigra

nigricans

pentandra

phylicæfolia

prunifolia

purpurea

repens

rubra

rupestris

russiliana

6 *variegata*

BRAMBLE, &c.

Virginian-flower.

purple-stalked

bramble

striped-leaved

double-blossomed

double-red

cut-leaved

plaited

shining-leaved

strigose

BUTCHER'S BROOM

prickly

double-leaved

Alexandrian laurel

RUE

common

SALISBURIA

maiden hair-tree

WILLOW

long-leaved

almond-leaved

Anderson's

ring-leaved

little tree

silvery

round-eared

weeping

two-coloured

blue

round-leaved

keel-leaved

Canadian

gray

cone-bearing

quince-leaved

Crowe's

purslane

Dickson's

Forby's

Forster's

brittle

brown

rose

hairy

Lambert's

two-coloured

American shining

apple-leaved

velvet

whortle-leaved

black American

dark broad leaved

sweet

tea-leaved

plum-leaved

bitter purple

creeping

green osier

rock

Bedford

variegated

SALIX

rosmarinifolia
sparsifolia
sphacelata
stipularis
Stuartiana
tenuifolia
tetrasperma
triandra
vaccinifolia
venulosa
viminalis
violacea
vitellina

SALSOLA

† fruticosa

SALVIA

† officinalis
† & variegata

SAMBUCUS

nigra
6 fol. ex aureo var.
γ fol. ex albo var.
δ alba
ε laciniata
Canadensis
racemosa

SANTOLINA

† chamæ cyparissus

SMILAX

† aspera
† caduca
† excelsa
† sarsaparilla
† bona nox

SPARTIUM

† junceum
† 6 plenum
† multiflorum
† 6 striatum
† scoparium
† 6 variegatum
† γ plenum
† δ pallidum
radiatum

SOPHORA

Japonica

SPIRÆA

salicifolia
6 paniculata
lævigata
tomentosa
hypericifolia
chamædrifolia
ulmifolia
crenata
triloba
thalictroides
opulifolia

WILLOW

rosemary-leaved
scattered-leaved
withered-pointed
large-stipuled
Stuart's
thin-leaved
four-seeded
triandrous
bilberry-leaved
veiny-leaved
common osier
violet-coloured
yellow

SALT-WORT

shrubby

SAGE

common
gold-striped

ELDER

common
gold-striped
silver-striped
white-berried
cut-leaved
Canadian
red-berried

LAVENDER COTTON

common

SMILAX

rough
deciduous
smooth-leaved
medicinal
ciliated

BROOM

Spanish
double Spanish
white Portugal
striped-flowered
common
variegated
double-flowered
straw-coloured
starry

SOPHORA

Japan

SPIRÆA

willow-leaved
white
smooth
scarlet
hypericum-leaved
germander-leaved
elm-leaved
crenate
three-lobed
thalictrium-leaved
{ Virginian guelder
rose

SPIRÆA

sorbifolia
alpina
bella
corymbosa
STAPHYLEA
pinnata
trifoliata
6 Americana
STUARTIA
malacodendron
pentagyna

STYRAX

officinale
grandifolium
lævigatum

SYMPHORIA

glomerata
racemosa
punicea

SYRINGA

-vulgaris
6 cærulea
γ alba
δ variegata
ε compacta
rothamagensis
Persica
6 alba
γ laciniata

TAMARIX

gallica
germanica

TAXUS

† baccata
† 6 variegata
† Hibernica
† procumbens

TEUCRIUM

flavum

THUJA

† occidentalis
† orientalis
† 6 stricta
† tatarica

TILIA

europæa
6 corallina
γ flava
δ dissecta
parvifolia
Americana
pubescens
alta
obliqua

ULEX

europæus plenus
strictus
ULMUS
campestris

SPIRÆA

sorb-leaved
alpine
pretty
corymbose
BLADDER-NUT
five-leaved
three-leaved

American

STUARTIA

common
Maryland

STORAX

officinal
large-leaved
smooth

ST. PETER'S WORT

common
snow-berry
crimson

LILAC

purple
blue
white
striped-leaved
Chinese
Siberian
blue Persian
white
cut-leaved

TAMARISK

French
German

YEW TREE

common
variegated
Irish
trailing

GERMANDER

yellow-flowered

ARBOR-VITE

American
Chinese
Italian
Siberian

LIME TREE

common
red-twiggèd
yellow-twiggèd
cut-leaved
small-leaved
broad-leaved
pubescent
white
oblique

PURZE

double-blossomed
Irish

ELM TREE

com. narrow levd.

ULMUS

♂ *latifolia*
 γ *fol. ex albo var.*
 δ *fol. ex aureo var.*
 ε *ramis longissimis*
suberosa
stricta
montana
 ♂ *variegata*
 γ *crispa*
 δ *spiralis*
 ε *cinerea*
 § ———
glabra
pendula
Americana
vegeta
 ♂ *variegata*
pumila
sarniensis

VACCINIUM

myrtillus
uliginosum
 † *vitis idæa*
 † *buxifolium*
pallidum
stamineum
mucronatum
diffusum
corymbosum
disomorphum
fuscatum
frondosum
venustum
marianum
hirtellum
ligustrinum
resinosum
amœnum
virgatum
pennsylvanicum
dumosum
Arctostaphylos
parviflorum
 † *nitidum*
 † *crassifolium*
 † *myrsinites*
hispidulum

VIBURNUM

Tinus
 ♂ *lucidum*
 γ *variegatum*
 δ *strictum*
 ε *aureo-variegatum*
nudum

ELM TREE

brd. leaved English
silver-striped
gold-striped
Downton
 Dutch
 Cornish
 Wych
gold-blotched
curled-leaved
spiral
cinereous
Scampston
smooth English
weeping
 Canadian
 Chichester
variegated
 dwarf Siberian
 Guernsey

WHORTLEBERRY, &c

bilberry
 great bilberry
 { red whortle, or
 { cow-berry
 box-leaved
 pale
 green-wooded
 sharp-pointed
 diffuse
 corymbose
 angular-stalked
 brown
 obtuse-leaved
 red-twigged
 Maryland
 large-braced
 privet-leaved
 resinous
 spreading
 twiggy
 Pennsylvanian
 bushy
 Madeira
 small flowered
 shining
 thick-leaved
 myrsine-leaved
 thyme-leaved

VIBURNUM

Laurustinus
shining
variegated
upright
gold-striped
oval-leaved

VIBURNUM

prunifolium
dauricum
dentatum
Lantana
lantanoïdes
 ♂ *variegatum*
acerifolium
pimina
Opulus
 ♂ *roseum*
 γ *variegatum*
Lentago
 † *lucidum*
 † *strictum*
 † *rugosum*
pyrifolium
obovatum
pubescens
oxycoccos
 † *cassinoides*
laevigatum
prinoides

VINCA

major
minor
 ♂ *plena*

γ *fol. ex aureo var.*

δ *fol. ex albo var.*

VIRGILIA

lutea

VITEX

Agnus-Castus
 ♂ *latifolia*

VITIS

• § *vinifera*
 • § *laciniosa*
 • § *labrusca*
 • § *vulpina*
 • § *riparia*
 • § *Isabella*

XANTHORHIZA

apiifolia

XANTHOXYLON

Clava Herculis
fraxineum
tricarpum

YUCCA

† *gloriosa*
 † *filamentosa*
 † ♂ *variegata*
 † *angustifolia*
 † *recurvifolia*
 † *glaucescens*
 † *stricta*

ZIZYPHUS

Paliurus
 • *volubilis*

VIBURNUM

plum-leaved
daurian
toothed
wayfaring-tree
large-flow lantana
variegated
maple-leaved
eatable
guelder rose
snow-ball
variegated
tree
shining
upright
rugose
pear-leaved
obovate
pubescent
cranberry-like
thick-leaved
cassioberry-bush
prinus-like

PERRIWINKLE

large
small
double

γ *fol. ex aureo var.*

δ *fol. ex albo var.*

VIRGILIA

yellow

AGNUS-CASTUS

com. chaste tree
broad-leaved

VINE

grape
parsley-leaved
downy
fox-grape
sweet-scented
Isabella

YELLOW-ROOT

parsley-leaved

YELLOW-WOOD

common
tooth-ache tree
three-grained

ADAM'S NEEDLE

broad-leaved
thready
variegated
narrow-leaved
recurve-leaved
glaucous
Lyons's

ZIZYPHUS

Christ's thorn
twining

ALPHABETICAL LIST OF ROSES.

Those marked † are Double Scotch Roses.

Those * are Climbers.

Abundant
† Adelaide
† Adonis
† Ægina
Agathe Sanspareille
† Agrippa
Aimable Emma
——— beauté
† Ajax
† Alcmena
Alpine
Amaranth
Aminta
† Andromache
† Andromeda
Apple double
——— double-marbled
——— single
† Arethusa
† Artemisia
Atlas
† Aurora
Aurore
Austrian
* Ayrshire
Beauté supreme
Belgic blush
Belle Aurore
——— Auguste
——— Cramoisie
——— pourpre
——— violette
† Bellona
Bieberstein's
Bijou
Bishop
Black African
——— frizzled
——— mottled
Blue
Blue and purple
Blue Celestial
Blue purple
† Blush
——— Cabbage
† ——— red
——— royal

Bouquet Panache
——— royal
† Bright Crimson
——— crumpled
† ——— purple
† ——— violet
Brunette
Brunswick
Brussels
Buonaparte
Burgundy
Burnet-leaved, double
——— single
Burning coal
† callista
Cardinal
Carmine
——— Proliferous
† ——— Rose
——— Superb
Carmin, brillant
Carnation
Catalonian
Celestial
† Celestial
† Celia
Cent-feuille Descemet
——— de nancy
Champion
Chancellor
Chancelier d'Angleterre
Changeable
Charlotte de Lacharme
Cherry
Childing's early
Cinnamon double
——— dwarf
——— single
Clementine
Clifton Ruby (*new*)
Cluster
Cordon bleu
Couleur de feu
——— de lilas
† Countess of Dunmore
† ——— Glasgow
Coupé

Crimson perpetual
——— *Rose du Roi*
Cupid
Cyrene
Damask, blush
——— red
——— white
† Daphne
† Dark marbled
Delicate
† ——— blush
† ——— light-red
† ——— white
Delicious
De Meaux
——— mossy
——— new
De Rheims
† Diana
† Dido
Didon
Dingy
Dog double
Doniana
Dragon
Duchesse d'Angouleme
Dumetorum
Dutch cluster
——— crimson
† Duchess of Argyle
† ——— Gloucester
† ——— Hamilton
† Dwarf Bicolor
——— proliferous
——— purple
† ——— yellow
Early blush
† ——— marbled
Eliza Descemet
Elysian
Empereur
Enchanter's
† Erebus
Estelle
——— *Carne bifer*
† Eva
‡ * Evergreen

Sempervirens

† Exonia
Fairy
Fanny Parissot
Favourite purple
Ferox

Hedge-Hog

Fiery
Flanders
† Floribunda
† Formosa
Frankfort
Fraxinifolia

Blanda

Fringed
Galant
Garland
Garnet

Portland

Genoese
Giant
Gloire des jardins
Goliah
Granaat appel
Grand cramoisie
—— Monarque
—— purple
—— Sultan
—— triumphant

Great Royal

† Hector
† Hecuba
Henri Quatre
Herbementia
† Hercules
Hip double
Hibernica
Hundred-leaved blush
—— Dutch
—— early
—— petite
—— Singleton's

† Ianthe
† Janus
Illustrious
Imperial blush
Incomparable
Infernal
Invisible
† Iphigenia
Italian
† Juba
† Jugurtha
King
Kingston

*Blandford**Portugal*

La belle Circassienne
—— Eliza
—— Hermine
—— *Rose punctuée*
—— Junon
—— Therese

La belle de Trianon
La bien Aimée
Labrador

Nitida

† Lady's blush
Lady Aylesbury
† — Baillie
† — Banks
† — Blantyre
† — Castle Coote
† — Clive
† — Compton
† — Dalrymple
† — Douglas
† — Finch Hatton
† — Gwydir
† — Hamilton
† — Harriet Wynne
† — Kennedy
† — Jane Montgomerie
† — Liston
† — Moncrieff
† — Stuart
L'Africain
L'Empereur
L'Enchantresse
La Constance
Georgienne
Grande belle pourpre
Grande Pivoine
Triomphe
Triumphant

† Large blush
† — purple
Le Grand Mogul
Leandre
Lee's Perpetual
Leyden
Light purple
† — red
Lisbon
L'Ombre Agréable
L'Ombre Superb
Longii
Louis XVIII.
Lubec
Lurid
Mademoiselle Premiere
—— seconde
—— la Valette
Majalis

Pumila.

Maiden
† Maiden's blush
—— Large
† — Marbled
—— Small
—— *Belladonna.*

Majorca
Malabar
Malacca
Malta
† Marbled

Marbled dark

—— double
—— grand
† Marchioness of Bute
Margarette
† Marqu. of Townshend's
Mignonne

—— Bicolor
—— blush
—— crimson
—— dark
—— favourite
—— incised
—— pencilled
—— purple
—— red
—— semidouble
—— striped

† Minerva
Mirabelle
† Miss Aiton
—— Douglas
—— Gordon
† Mrs. Aiton
—— Alexander
—— Bogle
—— Campbell
—— Gordon
—— Halladay
—— Hamilton
—— Hooker
—— Hopkirk
—— Malcolm
—— McLean
—— Perston
—— Robertson

Mogul
Montaubon
Monthly, blush
—— late blowing
—— red
—— white

Montpellier
Moraga la favorite
Morocco
Mottled purple
Mundi
Musk double white
—— double red
—— single white

† Mutabilis
Nanette
Naples
Neapolitan
Necromancer (*new*)
Negro
† new red
—— yellow
Ninon de l'Enclos
Nonpareille
—— scarlet
Nonsuch
Normandy

Nosegay
Official

Gallica

one-sided
ornement de carafe
— de parade

†Orpheus
Pæstana

Virgil's

†Palestina
Pale blush
— cluster
† — lilac
† — maiden's blush
† — rose
† — yellow

Pamela
Paradise
Paragon
Pauline
Pennsylvanian double
— single

Perle d'orient
†perpetual Scotch
Perrique
Persian
Persique

†Philippa
Pimpinellifolia Sibirica

†pink velvet
Plato

Plicata

Pluto

Pomona

†Pomona

Pompadour

Pompon blanc

— jaune

— quatre saisons nouveau
Pompone, dwarf Bagshot

— true

Poniowski

Poppy

Pourpre aimable

— charmant

— grand Pompadour

— favorite

— violette

Prince

— Regent

Prince William the 5th

Princess

— Charlotte

— de Salm

— Elizabeth

Proserpine

†Proteus

†Provin's

Provin's, blush

— cabbage

— Childing's

— common

— Damask

Provin's Dutch

— dwarf

— Imperial

— Invincible

— Royal Welsh

— scarlet

— Shailer's

— single

— white

— blush moss

— common moss

— crimson moss

— single moss

— white moss

Purple

— crimson

— †marbled

— mottled

Pyramidal

Quatre Saisons

— surpassant (*new*)

Queen

Ranunculus

Redouté nouvelle

Red and Violet

Refulgent

Rose de Belgique

— de Junon

— Lee

— Napoleon

— Pelletier

— Tricolore

Rouge Agathe

— Formidable

— superbe

Roxelane

Aimable Rosaline

Rubella melanocarpa

Royal crimson

— purple

— red

— shepherd

Rubrifolia

Sable

Saint Francis

— John

Sanspareille

†Saturnia

†Saxonica

Scarlet Francis

Sceptre

†Scotia

†Semidouble purple

‡§*Sempervirens major

†Sergia

Shell bright

— dark

Spongs

Stadtholder

Stepney

†Striped Scotch

Suaveolens

Sultan

†Superb bicolor

Superb red

† — velvet

Surpassant

Sweet-briar

— double blush

— double red

— Celestial

— evergreen

— *Manning's*

— mossy

— Royal

— Shailers

Swiss

Syren

Temple d'Apollon

Thornless

Inermis

Pendulina

Trafalgar

Tranquillaria

†Transparent

Tree peony

Triomphe nouvelle

Triumphant

Turban

Tuscany

Vandelee

Velours pourpre

Cramoisi incomparable

†Velvet

— double

— Dutch

— Giant

— striped

Versailles

†Versicolor marbled

†Violet dark

Virgin Royal

— spineless

Watson's blush

Wellington

†White double

— double

Yellow double

— single

York and Lancaster

Striped Damask

Zealand.

CHINESE ROSES.

Animating
 *Banksia
 *— yellow
 Barclay's Chinese
 *Bengalensis
 *— florida
 *Bengale Grosse Violette
 Bichonica
 Black Chinese
 *Boursault
 *— Lee's
 *— Miller's purple (*new*)
 *Macartney true
 *— Rough stalk.
 *— false

Fragrans
 — Odeur de Thé
 Grevillea
 Indica
 — albiflora
 — centifolia
 — Major
 — minor
 — minuta
 — new flesh-coloured
 — purple
 Lawranceana
 — flore pleno
 Lee's new blush
 *Multiflora
 *— purple

*Multiflora white
 Noisette
 — purple
 Odorata
 — Brown's
 — White
 Semperflorens
 Diversifolia
 — double
 — scarlet
 Sinica
 Cherokee
 White China
 Watts's new blush
 Yellow Chinese

FRUITS.

The double daggers (§§) designate such fruits as are new, and have not been sold previously to the printing of this Catalogue.

APPLES.

*Those marked * are planted principally for Cider.*

- 1 Ashmead's Kernel
- 2 Beauty of Wilts
- 3 Best Pool
- 4 Borstorff
- 5 Brandy
- Golden Harvey*
- 6 Bur-stock
- 7 *Cadbury
- 8 Calville, white
- 9 Cam House
- 10 Cat's-head
- 11 *Coccagee
- 12 Codlin, Carlisle
- 13 ———, Dutch
- Glory of the West*
- 14 ——— Early Downton
- 15 ———, English
- 16 ———, Keswick
- 17 ———, Manks
- 18 ———, Nelson's
- 19 ———, Transparent
- 20 Cornish Gilliflower
- 21 Court of Wick
- 22 Court-pendu plat
- Garnons.*
- 23 De la Ware
- 24 *Devonshire Wilding
- 25 Doxey
- 26 Dredge's Emperour
- 27 Duke of Wellington
- 28 Dutch Mignonne
- 29 Duchess of Oldenberg
- 30 Early Leicester
- 31 ——— marrow
- 32 ——— New-York
- 33 Emperor Alexander
- 34 Fenouillet gris
- 35 flower of Kent
- 36 *Fox-whelp, red
- 37 golden jennet
- 38 ——— Leadington
- 39 Gravenstein

APPLES.

- 40 Greening, Rhode Island
- 41 ———, Yorkshire
- Lord Cheney's*
- 42 Hagloe Crab
- 43 Harvey's
- Doctor Harvey's*
- 44 Hawthornden
- 45 Hedging, summer
- 46 Herefordshire Goose-apple
- 47 * ——— underleaf
- 48 Hicks's fancy
- 49 Jaunette
- 50 Jersey
- 51 Ingestrie, red
- 52 ———, yellow
- 53 Juneating, red
- 54 ———, white
- 55 King of the Pippins
- 56 *Knight's Grange
- 57 Lady de Grey
- 58 L'oignonette
- 59 Lucombe's Pine
- 60 Margaret
- 61 Margill
- 62 Mary Greed's
- 63 Moggs's long-keeper
- 64 *Morchin's crab
- 65 *Moreton
- 66 *Mortimer
- 67 Nonpareille
- 68 ———, American
- 69 ———, Braddick's
- 70 ———, early
- 71 ———, Martin
- 72 ———, scarlet
- 73 Nonsuch
- 74 Norfolk Beaufin
- 75 ——— Paradise
- 76 Old English, sent to America in 1636
- 77 Ord's
- 78 Ortle
- 79 *Parsons's Ambrosia
- 80 * ——— long-hanger

APPLES.

- 81 Pearmain, Bright's
- 82 ———, Hubbard's
- 83 ———, Lamb Abbey
- 84 ———, Loan's
- 85 ———, Royal
- 86 ———, Summer
- 87 ———, Sweet
- 88 ———, Winter
- 89 Pigeonette
- 90 Pinner seedling
- 91 Pippin, Aromatic
- 92 ———, Barrow Court
- 93 ———, Binsham
- 94 ———, Breedon
- 95 ———, Christy's
- 96 ———, Crofton
- 97 ———, Downton
- 98 ———, Easter
- French Crab*
- 99 ———, Embroidered
- Drap d'or*
- 100 ———, Fearn's
- 101 ———, Flanders
- 102 ———, Golden
- 103 ———, Franklin's Golden
- 104 ———, Hereford. Golden
- 105 ———, Hughes's Golden
- 106 ———, Ronalds' Golden
- 107 ———, Grumage
- 108 ———, Holland
- 109 ———, Kentish
- 110 ———, Royal Kentish
- 111 ———, Kerry
- 112 ———, Knightwick
- 113 ———, Lemon
- 114 ———, London
- 115 ———, Marigold
- 116 ———, Newtown
- 117 ———, Green Newtown
- 118 ———, Orange
- 119 ———, Padley's
- 120 ———, Ponto
- 121 ———, Ribston
- 122 ———, Stone
- Norfolk White*
- 123 ———, Transparent
- 124 ———, Woodstock
- Blenheim Orange*
- 125 ———, Wormsley
- 126 ———, Wykin
- 127 Plata
- 128 Pomme d'Api
- 129 ———, Rambouillet
- Rambole*
- 130 Pomroy
- 131 ———, Herefordshire
- 132 Poor man's profit
- 133 Quarrendon, Red
- 134 ———, white
- 135 Quince
- 136 Rambour

APPLES.

- Frank Rambour*
- 137 *Red Blanderine
- 138 *Redstreak, Devonshire
- 139 *———, Dorsetshire
- 140 *———, Herefordshire
- 141 *———, Parson's
- 142 Reinette, Golden
- 143 ———, Kirke's Golden
- 144 ———, Kitchen
- 145 ———, Minster Golden
- 146 Reinette gris
- 147 Russet, Aromatic
- 148 ———, Caraway
- 149 ———, Golden
- 150 ———, Mignonne
- 151 ———, Pitmaston
- 152 ———, Sykehouse
- 153 ———, Wheeler's
- 154 ———, Whites
- 155 Rymer
- 156 Sack and Sugar
- 157 Sam Young
- 158 Scarlet Admirable
- Halkingbury*
- 159 Spice
- 160 Spitzenberg
- 161 Stubbard
- 162 *Styre, red
- 163 *———, white
- 164 *Symonds's Brainton
- 165 Tockington Ruby
- 166 White Lily
- 167 *Woodcock, new
- 168 Yellow Harvest.

APRICOTS.

- 1 Breda
- 2 Brussels
- 3 ||——— willow-leaved
- 4 ||Davies's seedling
- 5 ||Greaves's seedling
- 6 Masculine, red
- 7 ———, white
- 8 Miss Shipley's
- Early Blenheim*
- 9 Moorpark
- Anson's*
- 10 ———, Hunt's
- 11 Orange
- 12 Peach
- Abricot de Nancy*
- 13 Purple
- 14 Roman
- 15 ———, blotched-leaved
- 16 Turkey

BERBERRIES.

- 1 Common red
- 2 Maiden
- 3 White
- 4 Canadian

CHERRIES.

- 1 Adam's Crown
- 2 Belle de Choisy
- 3 Bigarreau
- 4 Black Eagle
- 5 Carnation
- 6 Circassian, black
Fraser's black Tartarian
Ronald's Black Heart
- 7 Couronne
- 8 Dredge's early
- 9 Duke, Arch
Holman's Duke
Late Duke
- 10 —
- 11 — Portugal
- 12 — willow-leaved
- 13 Early May
- 14 Elton
- 15 Feuille de Tabac
Four to the pound
- 16 Florence
- 17 Fraser's white transparent
- 18 French small
- 19 — white
- 20 Grafton
- 21 Heart, black
- 22 — Bleeding
- 23 — Bullock's
- 24 Churchill's early white
- 25 ++Heart, Greaves's new
- 26 ++ —, Greaves's white
- 27 —, Harrison's
- 28 —, red
- 29 —, Tradescant's
- 30 —, Whalley's
- 31 Jeffery's Royal
- 32 Italian
- 33 Kentish
- 34 Knight's early black
- 35 Lady Southampton's
- 36 Morello
- 37 Polstead, black
- 38 Unique Nouvelle
- 39 Waterloo

CRABS.

- 1 Foxley
- 2 Scarlet
- 3 — mottled-fruited
- 4 — purple-fruited
- 5 — scarlet-striped
- 6 Siberian
- 7 — mottled-fruited
- 8 — new
- 9 — red
- 10 — striped-fruited
- 11 Tartarian
- 12 — scarlet
- 13 — striped
Unique
- 14 Transparent
- 15 White American

CURRANTS.

- 1 Black
- 2 Champagne
- 3 Red
- 4 Late red
- 5 Large Dutch red
- 6 White

FIGS.

- 1 Bishop of Winchester's
- 2 Black Guine
- 3 Black Ischia
- 4 Blue
- 5 Brown Ischia
Chestnut-Coloured.
- 6 Brown Malta
Small Brown.
- 7 Brunswick
- 8 Clifton
- 9 Datte
- 10 Early Purple
- 11 Early White
- 12 Forcing Ischia
- 13 Ford's Seedling
- 14 Gentile
- 15 Gibraltar
- 16 Hanover
Madonna.
- 17 Large Blue
- 18 Large White
- 19 Lee's Perpetual
- 20 Marseilles
- 21 Murry Guine
- 22 ++Neiri
- 23 Purple
- 24 Precoco Noir
- 25 Red
- 26 Red Prolific
- 27 Small White

GOOSEBERRIES,

Red, and nearly Black.

- 1 Alcock's King
- 2 Alexander
- 3 Bang-up
- 4 Bank of England
- 5 Bell's Chance
- 6 — Tiger
- 7 Bratherton's Governor
- 8 British Crown
- 9 Broad's Emperor
- 10 Champagne
- 11 Cockspur
- 12 Crown Bob
- 13 Dudley and Ward
- 14 George IV.
- 15 Highwayman
- 16 Huntsman
- 17 Hope's Great Captain
- 18 Jubilee
- 19 King
- 20 Lancashire Lad
- 21 Little Red Hairy

GOOSEBERRIES.

Old Rough Red.

- 22 Lord Moira
- 23 Lord of the Manor
- 24 Marquess of Stafford
- 25 Nonsuch
- 26 Odger's King
- 27 Over-all
- 28 Pigeon's Egg
- 29 Plough-Boy
- 30 Prince Regent
- 31 Printer
- 32 Raspberry
- 33 Richmond Hill
- 34 Rider's Old England
- 35 Rifleman
- 36 Roaring Lion
- 37 Rough Robin
- 38 Shakspeare
- 39 Shipley's Black Prince
- 40 Sir John Cotgrave
- 41 Smolensko
- 42 Sportsman
- 43 Triumphant
- 44 Top Sawyer
- 45 Warrington Red
- 46 Warwickshire Conqueror
- 47 Whipper-in
- 48 Yaxley Hero

Green.

- 49 Berry's Greenwood
- 50 Blackley's Chisel
- 51 Glory of Ratcliffe
- 52 Green Ocean
- 53 Green Walnut
- 54 Hall's Fair Play
- 55 Heart of Oak
- 56 Hercules
- 57 Joke
- 58 Jolly Angler
- 59 — Farmer
- 60 — Tar
- 61 Lord Nelson
- 62 Lovel's Elijah
- 63 Merryman
- 64 Monk's Green Joseph
- 65 Parkinson's Laurel
- 66 Pitmaston Green Gage
- 67 Rollinson's Royal George

Yellow.

- 68 Beauty of Eccles
- 69 Duck-wing
- 70 Gibraltar
- 71 Golden Chain
- 72 — Gourd
- 73 — Linnet
- 74 — Lion
- 75 — Prince
- 76 — Queen
- 77 Invincible
- 78 Nelson's Waves
- 79 Ranger
- 80 Rockwood
- 81 Royal Sovereign

GOOSEBERRIES.

Yellow.

- 82 Scorpion
 - 83 Venerable
 - 84 Ville de Paris
 - 85 Viper
 - 86 Wadham's Delight
- White.*
- 87 Governess
 - 88 Great Britain
 - 89 Green's Victory
 - 90 Kenyon's White Lion
 - 91 Lady Delamere
 - 92 Lancashire Lady
 - 93 Lee's Fiddler
 - 94 Northern Hero
 - 95 Ringley Ranter
 - 96 Smiling Beauty
 - 97 Thrasher
 - 98 Waterloo
 - 99 Wellington's Glory
 - 100 White Eagle
 - 101 White Rock
 - 102 Woodwith's Whitesmith

GRAPES.

- 1 Aleppo
- 2 Black Cluster
- 3 — Constantia
- 4 — Damascus
- 5 — Peruvian
- 6 — Portugal
- 7 — Prince
- 8 — Tripoli
- 9 Burgundy
- 10 Cantabrigian
- 11 Cheshunt fine Black
- 12 Ciotat, or Paraley-leaved
- 13 Ciotat, Alexandrian
- 14 Claret
- 15 Cochin China
- 16 Damson
- 17 D'Arboyce
- 18 Esperione
- 19 Frankendal
- 20 —, Steward's
- 21 Frontiniac, Black
- 22 —, Blue
- 23 —, Grizzly
- 24 —, Red
- 25 —, White
- 26 Hamburg, Black
- 27 —, Brown
- 28 —, Red, Warner's
- 29 —, White
- 30 Kirke's Black
- 31 Ledyard's small Black
- 32 —, small White
- 33 Le Gami Noir
- 34 Morillon Noir
- 35 Muscadine, Blue
- 36 —, Malmsey
- 37 —, Red

GRAPES.

- 38 Muscadine, Royal
- 39 ———, White
- 40 Muscat of Alexandria, Black
- 41 ———, Tottenham Park
- 42 ———, White
- 43 Muscat, Corbett's Grizzly
- 44 ———, Lunel
- 45 ———, Zante
- 46 Nice
- 47 Pietro Simsana
- 48 Poonah
- 49 Purple Palestine
- 50 Raisin des Carmes
- 51 Red Grape of Syracuse
- 52 Red Muscadell
- 53 Saint Peter's
- 54 ——— West's Late
- 55 Sweet Water, Black
- 56 ———, White
- 57 ———, Dutch White
- 58 ———, large French White
- 59 Syrian
- 60 Tokay, Black
- 61 ———, White
- 62 Verdelho
- 63 White Kishmish
- 64 White Raisin

MEDLARS.

- 1 Large Dutch
- 2 Nottingham

NECTARINES.

*Those marked * adhere to the stone;
those § are French.*

- 1 *Anderton's
- 2 Aromatic
- 3 *Black
- 4 Brinion
- 5 *Brugnon tardif
- 6 ———, *Violet musqué
- 7 Claremont
- 8 §Duc du Telliers
- 9 *Early Brugnon
- 10 *—— Pavy
- 11 Edgar's Dark Purple
- 12 Elruge
- 13 ——— Miller's True
- 14 §Fairchild's
- 15 Fox's Seedling
- 16 Genoa, Late
- 17 *Golden
- 18 *Italian
- 19 Large French
- 20 Lord Selsey's
- 21 *Lucombe's
- 22 Murry
- 23 *Newington, Black
- 24 *——, Early
- 25 *——, Scarlet
- 26 *——, Tawny
- 27 Oatlands

NECTARINES.

- 28 Ord's, New
- 29 Peterborough
- 30 Pitmaston Orange
- 31 *Red Roman
- 32 Scarlet, New
- 33 ———, North's Large
- 34 Spring Grove
- 35 Tawny
- 36 ——— Hunt's Early
- 37 *§—— Late
- 38 Temple
- 39 Vermash
- 40 Violette Hative
- 41 ——— Grosse
- 42 White
- Large White*
- 43 §Van Eden's
- 44 Williams's Seedling

NUTS.

- 1 Filbert, Frizzled
- 2 ———, Red
- 3 ———, White
- 4 Kirke's Cosford
- 5 Large Bond
- 6 Large Cob
- 7 Pearson's Prolific
- Dwarf Prolific*

PEACHES.

*Those marked * adhere to the stone.*

Those § are French.

- 1 Acton Scot
- 2 Admirable, early
- 3 ———, late
- La Royale*
- 4 ———, Scarlet
- Dragon*
- 5 Alberge, Purple
- Red Alberge*
- Yellow Alberge*
- 6 *American Clingstone
- 7 §Avant, Purple
- Johnson's Avant*
- 8 ———, White
- 9 Banksia-leaved
- Saw-leaved*
- 10 Barrington
- 11 §Belle Bausse
- 12 Belle de Vitry
- 13 §Belle Chevreuse
- 14 §Bellegarde
- Galande*
- 15 §——, New
- 16 §Bourdine
- 17 *Braddick's North American
- 18 *—— South American
- 19 *Catherine
- 20 §Chancellor
- 21 ‡Cothelstone Seedling
- 22 §Double Montagne
- 23 §—— Swalsh

PEACHES.

- 24 Early Ann
 25 ——— Downton
 26 § ——— Galande
 27 § ——— Purple
 28 § ——— Vineyard
 29 ——— Flat Chinese
 Java.
 30 Ford's Seedling
 31 § French Yellow
 32 † George the Fourth
 33 Hemskirk
 34 *Incomparable
 35 § Late Purple
 36 Madeleine de Courson
 True Red Magdalen.
 37 § Malta
 38 § Marlborough
 39 § Mignonne, Brentford
 40 ——— Buckingham
 41 ——— § Grosse
 French.
 42 ——— Lockyer's
 43 ——— Millets'
 44 ——— § Royal George
 45 ——— § Yellow
 46 Montaubon
 47 *Newington, Old
 48 ——— *Smith's
 Early.
 49 § Nivette
 50 Noblesse
 Mellish's favourite
 51 § ——— New French
 52 Red Magdalen
 53 ——— Nutmeg
 Brown Nutmeg
 54 Rossanna
 55 § Royal Charlotte
 Kew early purple
 56 Royal George
 57 § ——— French
 58 § ——— Grimwood's
 59 § ——— Smooth-leaved
 60 § ——— Kensington
 61 § Spring Grove
 62 § Steward's late Galande
 63 Sulhampstead
 64 § Superb Royal
 Royal Sovereign
 65 Teton de Venus
 66 Vanguard
 67 Violet Hative
 68 § ——— Lee's Violet Hative
 69 †† Witham's Seedling
 70 § Yellow Chevreuse

PEARS.

- Those marked * are for Perry.*
Those † for Baking or Stewing.
 1 Achan
 2 Ambrosia
 3 Angélique de Bourdeaux

PEARS.

- 4 Aston Town, Brown
 5 ——— Green
 6 Autumn King
 7 *Barland
 8 Bergamot, Autumn
 9 ——— Easter
 10 ——— Gansel's
 11 ——— Hampden's
 12 ——— Orange
 13 ——— Scotch
 14 ——— Summer
 15 ——— Warwick
 16 ——— Welbeck
 17 ——— Wormsley
 18 Beurré, Brown
 19 ——— Catherine
 20 ——— Clifton
 21 ——— Diel
 22 ——— du Roi
 23 ——— Golden
 24 ——— Rance
 Ardenpont de Printems
 25 ——— Red
 26 ——— Royal
 27 ——— White
 28 Bishop's Thumb
 29 † Black Pear of Worcester
 30 Bloody
 31 Bonchretien, Spanish
 32 ——— Summer
 33 ——— Williams's
 34 ——— Winter
 35 ——— Striped Winter
 36 Catherine
 37 † Catillac
 38 Chaumontelle
 39 Cholwell
 40 Citron des Carmes
 41 Colmar
 42 ——— Early
 43 ——— Epineuse
 44 ——— Passe
 45 Crasane
 46 Cuisse Madame
 Beau présent.
 47 D'Auch
 48 ——— Gold Blotched
 49 Delices d'Ardenpont
 50 De Toulouse
 51 Early Huntingdon
 52 Echasserie
 Paire de Œuf.
 53 Elton
 54 Green Chisel
 55 ——— Jennet
 56 Grosse Blanquette
 57 *Hampton Rough
 58 Hazel
 59 Holmer
 60 Huff-cap, Brown
 61 ——— Green
 62 ——— Red

PEARS.

- 63 Huff-cap, Yellow
- 64 Jargonelle
- 65 La Jalousie
- 66 La Marquise
- 67 Lammas
- 68 *Long-Acre
- 69 *Longland, Red
- 70 ——— *Summer
- 71 ——— *White
- 72 Marie Louise
- 73 Martin Sec
- 74 *Monk
- 75 Monsieur Jean
- 76 *Moorcroft
- 77 Mouille bouche
- 78 Muir-fowl Egg
- 79 Muscat, Little
- 80 Muscadet, Red
- 81 Napoleon
- 82 *Oldfield
- 83 *Pickerine
- 84 Puddletown
- 85 Rousselet, New
- 86 ——— Winter
- 87 Saint Germain
- 88 ——— Uvedale's
- 89 Sickle
- 90 Squash, Newmeadow
- 91 ——— Teinton
- 92 Surpasse Meuris
- 93 Swan's Egg, Bergamot
- 94 ——— Gansel's
- 95 ——— New
- 96 ——— Old
- 97 ——— St. John's
- 98 Tillington
- 99 *Tump
- 100 Verlaine
- 101 Virgouleuse
- 102 Wilding of Cassoy
- 103 Windsor

Bell.

PINES.

- 1 Anson's
- 2 Antigua, Black
- 3 ——— Green
- 4 Blood
- 5 Bogwarp
- 6 Brazil
- 7 Cockscorn, Russian
- 8 Demarara, New
- 9 Enville, New
- 10 ——— Old
- 11 Globe, English
- 12 ——— Russian
- 13 Havannah
- 14 Hussar
- 15 Jamaica, Black
- 16 ——— New
- 17 King
- 18 Montserrat

PINES.

- 19 Olive, Striped
- 20 Otaheite
- 21 Providence, White
- 22 ——— Green
- Green Olive.*
- 23 Queen, Antigua
- 24 ——— Arley
- 25 ——— Barbadoes
- 26 ——— Gold-striped
- 27 ——— Green
- 28 ——— Old
- 29 ——— Ripley
- 30 ——— Silver-striped
- 31 ——— Smooth-leaved
- 32 Ribbon Grass
- 33 Ripley, New
- 34 Sugar-loaf, Brown
- 35 ——— Green
- 36 ——— New Meally-leaved
- 37 ——— Red-leaved
- 38 ——— Smooth-leaved
- 39 ——— striped-leaved
- 40 Surinam
- 41 Wave-leaved
- 42 Welbeck Seedling

PLUMS.

- 1 Apricot
- 2 Bonum Magnum, Red
- 3 ——— White
- 4 Brignole
- 5 Bullace, White
- 6 ——— White Roman
- 7 Catherine
- 8 Cherry
- 9 Coe's Golden Drop
- 10 Damson, Black
- 11 ——— Prune
- 12 ——— Royal
- 13 ——— Shropshire
- 14 ——— White
- 15 Diaper
- 16 ——— Downton
- 17 Drap d'Or
- 18 Duke of Wellington
- 19 Early Lawrence
- 20 Florence
- 21 Fotheringham
- 22 Gage, Blue
- 23 ——— Green
- 24 ——— White
- 25 ——— Yellow
- 26 German Prune
- Quetsche.*
- 27 Gisburn's Early
- 28 Goliah
- Caledonian.*
- Saint Cloud.*
- 29 Gros d'amas de Tours
- 30 Guimaraens
- 31 Jaune Hative
- 32 Jenkins's Imperial

PLUMS.

- 33 Imperatrice, Blue
- 34 ————— Downton White
- 35 Imperial Diadem
- 36 Irish Horse
- 37 †† Isabella
- 38 Kirke's New
- 39 La Delicieuse
- 40 — Prune Suisse
- 41 — Royal
- 42 — †† Victorine
- 43 †† Lucilla
- 44 Matchless
- 45 Monsieur
- 46 ————— Early
- 47 Morocco
- 48 Nelson's Victory
- 49 New Imperial
- 50 Orleans
- 51 ————— Early
- 52 ————— White
- 53 ————— Wilmot's Early
- 54 ————— Yellow
- 55 Perdrigon, Blue
- 56 ————— White
- 57 Precoce de Tours
- 58 Primordian, Blue
- 59 ————— Red
- 60 Queen Claude
- 61 ————— Mother
- 62 Reine Claude Violette
- 63 Royal Dauphin
- 64 Saint Catherine
- 65 Semiana
- 66 Sharpe's Emperor
- 67 Violet Hâtive
- 68 Washington
- 69 Winesour

QUINCES.

- 1 Chinese
- 2 Portugal

RASPBERRIES.

- 1 Antwerp, Red
- 2 ————— Yellow
- 3 Cane
- 4 Double-bearing
- 5 ————— Pitmaston
- 6 Large Cornish
- 7 Oakhill

RASPBERRIES.

- 8 White
- 9 ————— Double-bearing
- 10 Woodward's Red Globe

STRAWBERRIES.

- 1 Alpine, Imperial
- 2 ————— Red
- 3 ————— White
- 4 Austrian Scarlet
Duke of Kent's
- 5 Bath Scarlet
- 6 Black
- 7 Bostock
- 8 Caledonian
- 9 Carolina
- 10 ————— Variegated
- 11 Chili, Scarlet
- 12 ————— Yellow
- 13 Cockburn's
- 14 Danish
- 15 Downton
- 16 ————— New-forcing
- 17 Griffin's American
- 18 Hautbois, Globe
- 19 ————— Griffin's
- 20 ————— Lady Grantham's
- 21 ————— Prolific
- 22 Keen's Imperial
- 23 ————— New forcing
- 24 Mathaven Castle
- 25 New Queen
- 26 Patteson's Scarlet Pine
- 27 Pineapple
- 28 Roseberry
- 29 ————— New Pine
- 30 Scarlet, American
- 31 ————— Garnons
- 32 ————— Grimstone
- 33 ————— Grove End
- 34 ————— Hudson's Bay
- 35 ————— Solid
- 36 ————— Thompson's
- 37 ————— Virginian
- 38 Shew's
- 39 Solid-flesh'd
- 40 Surinam
- 41 Sweet Cone
- 42 Wilmot's Seedling
- 43 ————— Superb

HARDY PERENNIALS.

Those marked * are best adapted for Rock-work.

ACÆNA

- *latebrosa
- *lucida
- *ovalifolia

ACANTHUS

- mollis
- spinosus
- spinosissimus

ACHILLEA

- arbrotanifolia

ÆGYPTIACA

AGERATUM

- *alpina
- *argentea
- asplenifolia
- *Clavennæ
- crithmifolia
- Eupatorium
- impatiens
- micrantha
- Millefolium *rubrum*

PTARMICA

- β — *fl. pleno*

SANTOLINA

- serrata
- speciosa
- *tomentosa

ACONITUM

- album
- altissimum
- Anthora
- Cammarum
- carpaticum
- japonicum
- lycoctonum
- Napellus
- neomontanum
- rubrum
- striatum
- variegatum
- volubile

ACORUS

- Calamus
- gramineus

ACTÆA

- americana
- β — *fr. albo*
- γ — *fr. rubro*
- *icata*

ADENOPHORA

- coronopifolia

ADONIS

- vernalis

AGAVE

- virginica

AGRIMONIA

- odorata

- parvifolia

AGROSTEMMA

- coronaria *fl. pleno*

- Flos jovis

AJUGA

- orientalis

- *pyramidalis

ALCHEMILLA

- *pubescens

- *vulgaris

ALETIS

- alba

ALLIUM

- canadense
- Cepa bulbifera
- descendens
- fragrans
- maficum
- Moly
- narcissiflorum
- roseum
- strictum
- tataricum
- triccum
- Victorialia

ALTHÆA

- ficifolia
- officinalis
- rosea, *many varieties*

ALYSSUM

- dentatum
- *montanum
- *saxatile
- * — *fol. var.*

AMARYLLIS

- atamasco

- lutea

AMMOBIUM

- alatum

AMSONIA

- latifolia
- salicifolia

ANCHUSA

- angustifolia
- incarnata
- lutea
- ochroleuca
- officinalis
- paniculata
- sempervirens

ANDROSACE

- *carnea
- *Chamæjasme
- lactiflora
- *villosa

ANDRYALA

- lanata

ANEMONE

- *apennina
- coronaria

- β — *fl. pleno*

- dichotoma

- hortensis *rubra*

- fl. pleno*

- violacea

- narcissiflora

- nemorosa *plena*

- palmata

- Pennsylvanica

- ranunculoides

- stellata *purpurea*

- sylvestris

- thalictroides

- villosa

- virginiana

ANGELICA

- lucida

- triquinata

ANTENNARIA

- *tripplinerva

ANTHEMIS

- graveolens

- nobilis *fl. pleno*

- *Pyrethrum

- rigescens

- tinctoria

ANTHERICUM

- Liliago

- Liliastrum

ANTHYLLIS

- *montana

ANTHYLLIS

uliginosa
vulneraria

ANTIRRHINUM

Asarina
majus

β — *alba*

γ — *bicolor*

δ — *carnea*

ϵ — *coccinea*

ζ — *β . pleno*

η — *lutea*

θ — *fol. variegatis*

APARGIA

aspera
autumnalis
caucasica
hastilis
hispidula
Taraxaci
Villarsii

APHYLLANTHES

* *monspeiliensis*

APIOS

tuberosa

APOCYNUM

androsæmifolium
cannabinum
hypericifolium
venetum

AQUILEGIA

* *alpina*
atropurpurea
* *canadensis*
glandulosa
* *vulgaris* *β . pl.*

ARABIS

* *alpina*
* *bellidifolia*
* *caucasica*
* *grandiflora*
* *Halleri*
* *nutans*
* *præcox*
* *procurrens*
* *stricta*

ARALIA

nudicaulis
racemosa

ARENARIA

* *balearica*
* *graminifolia*
* *grandiflora*
* *macrocarpa*
* *montana*
* *peploides*
* *saxatilis*
* *striata*
* *triflora*
* *verna*

ARETIA

* *Vitaliana*

ARISTOLOCHIA

clematitis
serpentaria

ARMERIA

latifolia
 β — *rubra*
vulgaris

ARNICA

* *Bellidiastrum*
* *montana*

ARNOPOGON

Dalechampii

ARTEMESIA

* *biennis*
cærulescens
Dracunculus
* *glauca*

ARUM

Dracontium
Dracunculus
italicum
tenuifolium
triphyllum
virginicum

ASARUM

* *canadense*
europæum
virginicum

ASCLEPIAS

amœna
exalta
Fraseri
incarnata
matelea
nivea
obtusifolia
phytolaccoides
pulchra
purpurascens
Syriaca
tuberosa
variegata
verticillata

ASPERULA

odorata

ASPHODELUS

luteus
ramosus

ASTER

* *alpinus*
acuminatus
altissimus
æstivus
amellus
carpathicus
conyzoides
cordifolius
corymbosus
cyaneus
dracunculoides
dumosus
elegans
ericoides

ASTER

grandiflorus
graveolens
hyasopifolius
incisus
inuloides
junceus
lævis
ledifolius
linifolius
macrophyllus
miser
multiflorus
Novæ Angliæ
 β — *β . rub.*

pulcherrimus

rigidus

salicifolius

sibiricus

speciosus

spectabilis

ASTRAGALUS

alopecuroides

* *campestris*

canadensis

Cicer

crassicaulus

excapus

galegiformis

* *hypoglottis*

* *β albus*

* *monspeulanus*

Onobrychis

uliginosus

* *uralensis*

ASTRANTIA

carniolica

major

maxima

minor

BALSAMITA

vulgaris

BAPTISIA

alba

australis

exaltata

tinctoria

BARBAREA

vulgaris, *β . pl.*

BELLIS

perennis

β — *hortensis*

BELLUM

* *minutum*

BETONICA

Alopecurus
grandiflora
incana
officinalis *alba*
orientalis
stricta

BISCUTELLA
laevigata
BOCCONIA
cordata
BOLTONIA
asteroides
BORAGO
orientalis
BULBOCODIUM
vernum
BUNIAS
orientalis
BUPHTHALMUM
cordifolium
grandiflorum
helianthoides
salicifolium
BUPLEURUM
angulosum
BUTOMUS
umbellatus
CACALIA
atriplicifolia
Behen
suaveolens
CALLA
palustris
CALOPOGON
pulchellus
CALTHA
palustris fl. pl.
radicans
CALYSTEGIA
sepium, fl. rub.
Spithamea
CAMPANULA
alliarisefolia
**azurea*
barbata
betonicaefolia
bicolor
bononiensis
**carpatia*
**caucasica*
Cephalanthus
cervicaria
**collina*
conspicua
glabricarpa
**glomerata*
β — fl. alb.
grandiflora
lactiflora
latifolia, fl. alb.
**β — fl. caerulea*
**lilifolia*
macrantha
macrophylla
**nitida*
**β fl. caerulea*
peregrina
persicifolia alba

CAMPANULA
persicifolia
β caerulea
γ albo plena
δ caeruleo plena
**pumila alba*
**β caerulea*
**punctata*
pyramidalis alba
β caerulea
rapunculoides
rhomboidea
**rotundifolia*
Scheuchzeri
sibirica
speciosa
suaveolens
thyrsoidea
Trachelium
δ albo plena
γ caeruleo plena
urticifolia
versicolor
CANNA
flaccida
glauca
patens
CARDAMINE
amara
**asarifolia*
**bellidifolia*
**pratensis fl. pl.*
**trifolia*
CASSIA
marilandica
CATANANCHE
caerulea
CENTAUREA
aurea
austriaca
calocephala
flosculosa
glastifolia
Jacea
lucta
montana
nervosa
nigra fl. albo
ochroleuca
paniculata
reflexa
rhapontica
CERASTIUM
alpinum
arvense
latifolium
**tomentosum*
CHAPTALIA
tomentosa

CHEIRANTHUS
Cheiri
β — chameleon
γ — fl. pleno
δ — luteo plena
CHELIDONIUM
laciniatum
majus fl. pleno
CHELONE
barbata
Digitalis
glabra
Lyoni
obliqua
CHRYSANTHEMUM
indicum
a blush early
β — ramunculus flow.
γ brown Spanish
δ — purple
ε buff
ζ — changeable pale
η chocolate
θ crimson early
ι lilac curled
κ — large
λ orange large quilled
μ — semidouble quilled
ν pink quilled
ξ — semi-double quilled
ο purple
π — expanded light
ρ — quilled
σ — starry
τ red two coloured
υ — incurved
φ rose
χ salmon coloured quilled
ψ white changeable
ω — double
αα — paper
ββ — quilled
γγ — semi-double
δδ — superb
εε — tasselled
ζζ yellow
ηη — flame
θθ — golden
ιι — lotus flowered
κκ — double
λλ — Perks's, small
μμ — quilled
νν — late
ξξ small
οο sulphur
ωω superb clustered

CHRYSOCOMA

Linosyris

CHRYSOSPLENIUM

*alternifolium

*oppositifolium

CICUTA

maculata

CIMICIFUGA

Serpentaria

CINERARIA

sibirica

CIRCÆA

lutetiana

CLAYTONIA

virginica

CLEMATIS

angustifolia

erecta

integrifolia

ochroleuca

CNICUS

afer

heterophyllus, *fl. albo*

serratuloides

spinosissimus

COCHLEARIA

*danica

*grænländica

COLCHICUM

autumnale

β — *album*γ — *fl. pleno*δ — *roseum*

byzantinum

variegatum

COLLINSONIA

canadensis

COMARUM

palustre

COMMELINA

cælestis

tuberosa

CONVALLARIA

majalis

β — *fl. pleno*γ — *fl. roseo***CONVOLVULUS**

lineatus

CONYZA

Thapsoides

COPTIS

trifolia

COREOPSIS

aurea

auriculata

carolina

grandiflora

lanceolata

*tenuifolia

tripteris

verticillata

CORNUS

canadensis

suecica

CORONILLA

coronata

*sibirica

varia

CORTUSA

Mathioli

CORYDALIS

bulbosa

*capnoides

*Cucullaria

*eximia

*formosa

*Halleri

*lutea

nobilis

COTYLEDON

*lutea

CREPIS

rigida

CRISTARIA

coccinea

CRITHMUM

maritimum

CROCUS

mæsiacus

susianus

stellaris

sulphureus, *striatus*β *striatellus*γ *isabellinus*δ *concolor*ε *concolor pallidus*lagenæflorus, *luteus*β *albicans*γ *penicillatus*

biflorus

β *stigmatosus*γ *argenteus*δ *Salisburyi*versicolor, *violaceus*β *Haworthii*γ *purpureus*δ *plumosus*ε *elegans*ζ *lineatus*η *Gawleri*δ *vittatus*ι *pectinatus*κ *Moricon*λ *affinis*μ *urbanus*ν *propinquus*

alpinus

vernus, *obovatus*β *concinuus*γ *grandis***CROCUS**

vernus

δ *neapoitanus*ε *violaceus*ζ *stylonus*η *Phaeton*δ *dorsalis*ι *lineatus*κ *pallens*λ *pictus*μ *Gloriana*ν *tulipaceus*ξ *variegatus*ο *obesus*ω *lineollus*ρ *crassus*σ *striatus*τ *albus minor*

officinalis

serotinus

nudiflorus

CRUCIANELLA

molluginoides

CUCUBALUS

*baccifer

*stellatus

CYCLAMEN

*colum

europæum

hederæfolium

repandum

vernum

CYNANCHUM

nigrum

CYNOGLOSSUM

omphalodes

CYPRIPEDIUM

album

calceolus

parviflorum

pubescens

spectabile

DAHLIA

frustranea

superflua

— *many fine varieties***DALIBARDA**

*fragarioides

DECUMARIA

*barbara

DELPHINIUM

aconiti

ambiguum

cheilanthum

elatum

β *album*grandiflorum, *fl. pl.*β *procerum*γ *album*

- DELPHINIUM**
 chinense
 intermedium
DIANTHUS
 *alpinus
 Armeria
 barbatus
 *— *fl. pleno*
 *caesiuss
 *carthusianorum
 *Caryophyllus
 caucasicus
 *collinus
 †deltoides
 diutinus
 hyssopifolius
 *japonicus
 *β *fl. rubro*
 *pungens
 *superbus
DICTAMNUS
 fraxinella, *albus*
 — *ruber*
DIGITALIS
 ferruginea
 lanata
 lutea
 minor
 ochroleuca
DIOSCOREA
 villosa
DODECATHEON
 Meadia
 β — *alba*
 γ — *gigantea*
DORONICUM
 pardalianches
 plantagineum
DRABA
 *aizoides
 *hesperidifolia
 incana
 *pyrenaica
 *rupestris
DRACOCEPHALUM
 altaianse
 arguense
 denticulatum
 grandiflorum
 *peregrinum
 Ruyschiana
 sibiricum
 speciosum
 virginicum
DRYAS
 octopetala
ECHIU
 rubrum
ELODIA
 campanulata
EPILOBIUM
 angustifolium
 β *fol. var.*
 *Dodonæi
EPIMEDIUM
 alpinum
EQUISETUM
 hyemale
 filiforme
ERANTHIS
 hyemalis
ERIGERON
 *alpinum
 glaucum
 philadelphicum
 serpentinum
ERINUS
 *alpinus
 *hispanicus
ERIOPHORUM
 *alpinum
 *gracile
ERODIUM
 *chamædryoides
 *Gussoni
 *romanum
ERYNGIUM
 alpinum
 amethystinum
 aquaticum
 Bourgati
 campestre
 corniculatum
 maritimum
 planum
ERYSIMUM
 diffusum
ERYTHRÆA
 aggregata
ERYTHRONIUM
 americanum
 Dens-canis
 β *fl. albo.*
EUPATORIUM
 album
 aromaticum
 cannabinum
 cælestinum
 maculatum
 perfoliatum
 purpureum
 verticillatum
EUPHORBIA
 Characias
 *cyparissias
 Esula
 hyberna
 pilosa
 virgata
FARSETIA
 *deltoidea
FESTUCA
 *glaucia
FICARIA
 *verna, *fl. pleno*
FRAGARIA
 *indica
 *monophylla
 *virginica
FRANKENIA
 *lævis
FRITILLARIA
 imperialis
 β *flava*
 γ *rubra*
 δ *fol. var.*
 lanceolata
 Meleagris
 β *alba*
 γ *purpurea*
 persica
 pyrenaica
GAGEA
 lutea
GALARDIA
 bicolor
GALAX
 aphylla
GALEGA
 montana
 officinalis
 β — *alba*
 orientalis
GALEOBDOLO
 luteum, *fol. var.*
GALIU
 *boreale
 *erectum
 *græcum
 *linifolium
 *verum
GAURA
 biennis
GEISSORHIZA
 vaginata
GENTIANA
 acaulis
 adscendens
 angustifolia
 asclepiadea
 Catesbæi
 cruciata
 gelida
 lutea
 ochroleuca
 Pneumonanthe
 punctata
 purpurea
 Saponaria
 septemfida
 verna
GERANIUM
 aconitifolium

GERANIUM
 angulatum
 *argenteum
 *eriosomon
 *ibericum
 lividum
 macrorrhizum
 maculatum
 nodosum
 phæum
 pratense
 β — *fl. albo*
 γ — *fl. pleno*
 *prostratum
 *pyrenaicum
 reflexum
 sanguineum
 sibiricum
 *striatum
 sylvaticum
 β — *fl. albo*
 γ — *fl. pleno*
 tuberosum
GERARDIA
 flava
 quercifolia
GEUM
 boreale
 heterophyllum
 intermedium
 montanum
 Peckii
 pyrenaicum
 rivale
 urbanum
 virginianum
GILLENIA
 *trifoliata
Spiræa trifoliata
GLADIOLUS
 byzantinus
 Colvillii
 communis
GLAUX
 maritima
GLAUCIUM
 fulvum
 luteum
GLECHOMA
 *hederacea, *fol. var.*
GLOBULARIA
 *cordifolia
 *nudicaulis
 *vulgaris
GLYCIRRHIZA
 glabra
GNAPHALIUM
 *arenaria
 *dioicum
 margaritaceum
 plantaginifolium

GRATIOLA
 officinalis
GYPSOPHILA
 *fastigiata
 *prostrata
 *repens
 *Saxifraga
 Stephenii
HABENARIA
 bifolia
HEDYSARUM
 *alpinum
 altissimum
 angustifolium
 canadense
 coronarium
 nudiflorum
 obscurum
 Onobrychis
 paniculatum
 virginicum
HELENIUM
 autumnale
HELIANTHUS
 divaricatus
 giganteus
 lævis
 multiflorus
 pubescens
 strumosus
 trachælifolius
 tuberosus
HELLEBORUS
 fœtidus
 lividus
 niger
 viridis
HELONIAS
 asphodeloides
 bullata
HEMEROCALLIS
 cærulea
 flava
 fulva
 β — *fl. pleno*
 graminea
 japonica
HEPATICÀ
 americana
 triloba
 β — *single blue*
 γ — — *red*
 δ — — *white*
 ε — *large white*
 ζ — *double blue*
 η — *double red*
HERNARIA
 hirsuta
HESPERIS
 matronalis
 β — *albo plena*

HESPERIS
 matronalis
 γ *purpureo plena*
 tristis
HEUCHERA
 americana
 viscida
HIERACIUM
 albidum
 aurantium
 aureum
 Auricula
 canadense
 cerinthoides
 dubium
 echioides
 fallax
 flexuosum
 glaucum
 molle
 pallescens
 paniculatum
 porrifolium
 sabaudum
 *saxatile
 staticifolium
HIPPOCREPIS
 *coimosa
HOUSTONIA
 *cærulea
HUMULUS
 americanus
 lupulus
HUTCHINSIA
 *alpina
 *petræa
HYDROPHYLLUM
 canadense
 virginicum
HYOSCYAMUS
 orientalis
 physaloides
 Scopolia
HYPERICUM
 ascyroides
 elegans
 pyramidatum
HYPOXIS
 erectus
IBERIS
 *saxatilis
 *β — *cordifolia*
 *sempervirens
IMPERATORIA
 Ostruthium
INULA
 *glandulosa
 Helenium
 squarrosa
IRIS
 aphylla
 arenaria

IRIS

caelestina
 cristata
 cupræa
 desertorum
 dichotoma
 fimbriata
 flexuosa
 florentina
 foetidissima, *fol. var.*
 fulva
 germanica
 graminea
 grandiflora
 halophila
 hematophylla
 hungarica
 lusitanica
 lutescens
 missouriensis
 nepalensis
 ochroleuca
 pallida
 persica
 Pseudacorus
 pumila
β — lutea
γ — fl. pleno
 ruthenica
 sambucina
 sibirica
 spuria
 squalens
 subbiflora
 susiana
 tenuifolia
 tridentata
 tuberosa
 variegata
 versicolor
 virginica
 xiphioides
 Xiphium
 JASIONE
 *perennis
 JEFFERSONIA
 diphylla
 KITAIBELIA
 vitifolia
 KUHNIA
 Eupatorium
 LAMIUM
 capitatum
 maculatum
 Orvala
 rugosum
 LATHYRUS
 grandiflorus
 latifolius
β fl. albo
 sylvestris
 tuberosus

LAVATERA

thuringiaca
 LEONTODON

palustre

LEONURUS

Cardiaca

LESPIDESIA

capitata

violacea

LEUCOJUM

æstivum

autumnale

vernum

LIATRIS

elegans

odoratissima

pilosa

scariosa

sphæroidea

spicata

β — nana

squarrosa

LILIUM

bulbiferum

canadense

candidum

β — fol. var.

Catesbæi

concolor

dauricum

japonicum

longiflorum

Martagon

β — fol. var.

γ — fl. luteo

δ — purpureo plenum

philadelphicum

pomponium

spectabile dahuricum

superbum

tigrinum

LINARIA

*alpina

*Cymbalaria

**β — fl. albo*

**γ — fol. var.*

Peloria

*pilosa

purpurea

LINNÆA

*borealis

LINUM

*alpinum

austriacum

*flavum

narbonense

perenne

tauricum

LITHOSPERMUM

*purpureo cæruleum

LOBELIA

cardinalis

fulgens

siphilitica

splendens

LOTUS

sativus

LUPINUS

nootkatensis

perennis

LYCHNIS

*alpina

**β — fl. albo*

chalconica

β — fl. albo

γ — fl. pleno

coronata

dioica, *fl. pleno*

Flos cuculi, *fl. pl.*

fulgens

viscaria

β — fl. albo

γ — fl. pleno

LYSIMACHIA

capitata

hybrida

*Nummularia

quadriflora

stricta

thyrsiflora

verticillata

vulgaris

LYTHRUM

diffusum

Salicaria

triflorum

MALVA

moschata

MARICA

anceps

*bermudiana

*california

corniculata

striata

MELITTIS

grandiflora

melissophyllum

MENTHA

grandiflora

MENYANTHES

nymphoides

trifoliata

MEUM

*athamanticum

MIMULUS

alatus

*luteus

ringens

MITELLA

*diphylla

MOEHRINGIA

*muscosa

MONARDA

clinopodia
didyma
fistulosa
gracilis
oblongata
punctata
purpurea
rugosa

MUSCARI

botryoides

β — *allum*

γ — *caeruleum*

comosum
monstrosum
moschatum

MYOSOTIS

scorpioides

NARCISSUS

angustifolius
bicolor
biflorus
Bulbocodium
calathinus
compressus
incomparabilis
Jonquilla

β — *f. pleno*

major

minor

montanus

moschatus

patellaris

poeticus *f. pleno*

propinquus

recurvens

tenuior

triandrus

tubiflorus

NARTHECIUM

**ossifragum*

NEOTIA

cernua

NEPETA

graveolens

longiflora

multifida

Mussini

pannonica

NUPHAR

advena

lutea

NYMPHÆA

alba

odorata

CENOTHERA

cæspitosa

Fraseri

fruticosa

β — *fol. var.*

glauca

grandiflora

CENOTHERA

longiflora
macrocarpa
missouriensis
odorata
pumila
**rosea*
serotina
speciosa
splendens
triloba

ONONIS

antiquorum

ONOSMA

**echioides*
**taurica*

OPHIOPOGON

**japonicus*

OPHRYS

apifera
aranifera
muscifera

ORCHIS

latifolia
maculata
mascula
morio
pyramidalis

ORIGANUM

sipyleum

ORNITHOGALUM

arabicum
nutans
pyramidalis
Squilla
umbellatum

OROBUS

**albus*
**angustifolius*
**luteus*
**niger*
sylvaticus
**tuberosus*
varius
**vernus*

OXALIS

stricta

PACHYSANDRA

procumbens

PÆONIA

Moutan, *papaveracea*

β *Banksii*

γ *rosea*

albiflora, *vestalis*

β *tatarica*

γ *sibirica*

δ *rubescens*

ϵ *uniflora*

ζ *Whitleii*

η *Hunnei*

θ *fragrans*

PÆONIA

anomala
tenuifolia
officinalis, *Sabini*

β *rosea*

γ *blanda*

δ *rubra*

ϵ *carnescens*

ζ *albicans*

η *lobata*

corallina

daurica

peregrina, *bysantina*

β *compacta*

γ *Grevillei*

cretica

paradoxa, *simplicifolia*

β *fimbriata*

mollis

villosa

sessiliflora

decora, *Pallasii*

β *elatior*

humilis

hybrida

pubens

Russi

PANAX

quinquifolium

PANCRACTIUM

illyricum

maritimum

PAPAVER

bracteatum

cambricum

nudicaule

orientale

PARDANTHUS

chinensis

PARIS

quadrifolia

PARNASSIA

palustris

PARTHENIUM

integrifolium

PATRINIA

scabiosæfolia

PASCALIA

glauca

PELTARIA

alliacea

PENTHORUM

**sedoides*

PENTSTEMON

campanulata

β *atropurpurea*

pubescens

PETUNIA

nyctaginiflora

PETROCALLIS

*pyrenaica
PHLOMIS
 laciniata
 tuberosa
PHLOX
 acuminata
 amana
 bimaculata
 carolina
 corymbosa
 *divaricata
 excelsa
 Fraseri
 glaberrima
 Lystoni
 maculata
 *nivalis
 ovata
 paniculata
 β — *alba*
 pilosa
 pyramidalis
 reflexa
 *setacea
 *stolonifera
 suaveolens
 β — *fol. var.*
 *subulata
 suffruticosa
 triflora
 undulata
 variegata
 Wheeleri
PHYSALIS
 Alkekengi
PHYTEUMA
 *campanuloides
 *cæruleum
 *canescens
 *comosum
 *hemisphaericum
 *orbiculare
 *Scheuchzeri
PHYTOLACCA
 decandra
PIMPINELLA
 *dioica
PINUICULA
 grandiflora
PISUM
 americanum
PLANTAGO
 *crassa
 major
 maritima
PODOPHYLLUM
 corymbosum
 peltatum
POLEMONIUM
 cæruleum
 β *f. albo*
 γ *fol. var.*

POLEMONIUM
 gracile
 mexicanum
 reptans
POLYGALA
 Senega
 vulgaris
POLYGONATUM
 multiflorum
 β *odoratum*
 verticillatum
POLYGONUM
 Bistorta
 virginianum
 viviparum
POTENTILLA
 *alba
 *argentea
 *astracanica
 *atrosanguinea
 *aurea
 *bifurca
 *formosa
 *fragarioides
 *grandiflora
 *hirta
 *opaca
 *recta
 *rupestris *var.*
 *ruthenica
 *sericea
 *tridentata
 *verna
POTHOS
 foetida
PRENANTHES
 alba
 purpurea
PRIMULA
 *alpina
 *Auricula
 *cortusoides
 decora
 elatior
 *farinosa
 *helvetica *alba*
 *integrifolia
 intermedia
 *longifolia
 *marginata
 *nivalis
 Palinuri
 veris *f. pleno*
 *villosa
 *viscosa
PRUNELLA
 alba
 grandiflora
 hyssopifolia
 laciniata
 pennsylvanica
PULMONARIA
 angustifolia

PULMONARIA
 davurica
 officinalis
 β — *f. albo*
 maritima
 paniculata
 virginica
PULSATILLA
 *alpina
 *pratensis
 *vulgaris
PYCNANTHEMUM
 incanum
 linifolium
 verticillatum
PYRETHRUM
 *alpinum
 corymbosum
 macrophyllum
 millifolium
 Parthenium *f. pl.*
PYROLA
 maculata
 media
 minor
 rosea
 rotundifolia
 umbellata
RAMONDA
 *pyrenaica
RANUNCULUS
 aconitifolius
 acris *f. pl.*
 amplexicaulis
 asiaticus
 glacialis
 gramineus
 hirsutus
 illyricus
 lanuginosus
 parnassifolius
 Pensylvanicus
 reptans
 Thora
 trifoliatus
RHEUM
 compactum
 hybridum
 nutans
 palmatum
 rhaponticum
 sibiricum
 tataricum
 undulatum
RHEXIA
 Celosia
 mariana
 β — *rubella*
 virginica
RHODIOLA
 *rosea

RUBUS

- *arcticus
- *saxatilis

RUDBECKIA

- columnaris
- fulgida
- hirta
- laciniata
- pinnata
- purpurea
- serotina

RUPELLIA

- strepens

SAGITTARIA

- sagittifolia

SALIX

- *herbacea
- reticulata

SALVIA

- austriaca
- glutinosa
- hybrida
- indica
- lyrata
- pratensis
- Tenori
- verticillata

SANGUINARIA

- canadensis

SANGUISORBA

- *canadensis
- *media

SANSEVIERA

- *carnea

SAPONARIA

- *ocymoides
- officinalis *f. pl.*

SARRACENIA

- flava
- purpurea

SAURURUS

- cernuus

SAXIFRAGA

- *adscendens
- *Aizoides
- *ajugifolia
- androsacea
- *aquatica
- *aspera
- *autumnalis
- *caesia
- *caespitosa
- *ceratophylla
- *cernua
- cordifolia
- crassifolia
- *cotyledon
- *cuneifolia
- *dentata
- *geranoides
- *Geum
- *granulata
- **f. pleno*

SAXIFRAGA

- *Haworthii
- *Hirculus
- *hirta
- *hypnoides
- *laevis
- *ligulata
- *nivalis
- *oppositifolia
- *palmata
- *pennsylvanica
- *pedatifida
- *punctata
- *rivularis
- *rosularia
- *rotundifolia
- *sarmentosa
- *septifida
- *stellaris
- *Sternbergii
- *tenuifolia
- *trifida
- *umbrosa

SCABIOSA

- caucasea
- integrifolia
- lucida
- lutea
- ochroleuca
- Webbii

SCHIVERECKIA

- *podolica

SCHRANKIA

- uncinata

SCILLA

- alba
- *amæna
- *autumnalis
- *bifolia
- campanulata
- italica
- peruviana
- β — f. alba*
- *præcox
- *verna

SCUTELLARIA

- *albida
- *alpina
- peregrina

SEDUM

- *album
- *Anacampseros
- *anglicum
- *dasyphyllum
- *denticulatum
- *Forsterianum
- *glaucum
- *populifolium
- *reflexum
- *rupestre
- *spurius
- *sexangulare
- *telephoides

SEDUM

- *Telephium
- *ternatum
- *villosum
- *virens

SEMPERVIVUM

- *arachnoideum
- *globiferum
- *montanum
- *soboliferum
- *tectorum

SENECIO

- *abrotanifolia
- americana
- daurica

SERAPIAS

- palustris

SERRATULA

- *alpina
- tinctoria

β — alba

SIBBALDIA

- *procumbens

SIBTHORPIA

- *europea

SILENE

- *acaulis
- *alpestris
- *baccifera
- *fimbriata
- *inflata
- maritima
- nutans
- *pennsylvanica
- *sibirica
- *supina
- virginica

SILPHIUM

- perfoliatum
- terebinthinum

SINAPIS

- palustris

SISYMBRIUM

- *alpinum

SMILACINA

- bifolia
- racemosa
- stellata
- umbellata

SMILAX

- herbacea

SMYRNIUM

- cordatum

SOLANUM

- carolinense

SOLDANELLA

- *alpina

SOLIDAGO

- altissima
- bicolor
- canadensis
- minuta

SOLDIAGO
 multiradiata
 odorata
 rigida
SONCHUS
 alpinus
 caeruleus
 sibiricus
SOPHORA
 alopecuroides
SPIGELIA
 marilandica
SPIRÆA
 Aruncus
 Filipendula *plena*
 lobata
β — fol. var.
 ulmaria
β fl. plena
STACHYS
 circinata
 sibirica
STATICE
 carolina
 flexuosa
 latifolia
 Limonium
 longifolia
 scoparia
 tatarica
STELLARIA
 *cerastoides
 *scapigera
STEVIA
 *purpurea
STIPA
 *aristella
 *pennata
STYLOSANTHUS
 aquatica
SWERTIA
 perennis
SYMPHYTUM
 asperimum
 officinale
 orientale
 tauricum
TAXANTHEMA
 *speciosa
TELEPHIUM
 imperati
TEUCRIUM
 *Chamædrys
 *lucidum
 *pyrenaicum
 virginicum
THALICTRUM
 *alpinum
 angustifolium
 aquilegifolium
β — purpureum

THALICTRUM
 concinnum
 Cornuti
 dioicum
 elatum
 flavum
 majus
 *minus
 petaloideum
 rugosum
THAPSIA
 villosa
THERMOPSIS
 lanceolata
THYMUS
 *lanuginosus
 *Serpillum *album*
TIARELLA
 *cordifolia
TIGRIDIA
 conchiiflora
 pavonia
TOFIELDIA
 *palustris
TORMENTILLA
 *reptans
TRACHELIUM
 caeruleum
TRADESCANTIA
 virginica
β — fl. albo
γ — fl. rubro
TRICHONEMA
 Bulbocodium
TRIENTALIS
 europæa
TRIFOLIUM
 fragiferum
 Lupinaster
 pannonicum
 rubrum
TRILLIUM
 erectum
 grandiflorum
 sessile
TRITOMA
 carnea
 media
 Uvaria
TROLLIUS
 americanus
 asiaticus
 europæus
TROXIMON
 virginicum
TULIPA
 cornuta
 florentina
 gesneriana
 oculis solis

TUSSILLAGO
 alpina
 Farfara *fol. var.*
 *fragrans
 hybrida
 palmata
 paradoxa
URTICA
 canadensis
UVULARIA
 *perfoliata
 *sessilifolia
VALENTIA
 cruciata
VALERIANA
 *pyrenaica
 rubra
VERATRUM
 album
 nigrum
 viride
VERBASCUM
 austriacum
 caucasicum
 ferrugineum
 formosum
 nigrum
 — *album*
 phœniceum
 pyramidatum
 speciosum
VERNONIA
 noveboracensis
 præalta
VERONICA
 abrotanifolia
 *alpina
 candida
 canescens
 Chamædrys
 corymbosa
 crinulata
 foliosa
 fruticulosa
 gentianoides
 hybrida
 incana
β — fl. rubro
 incarnata
 incisa
 longifolia
 maritima
β — fol. var.
 multifida
 neglecta
 pinnata
 *saxatilis
 sibirica
 spicata
β — alba
γ — variegata

VERONICA

Teucrium
virginica

VESICARIA

*utriculata

VIOLA

altaica
blanda
*canina *f. albo*
cornuta
cucullata
eriocarpa
grandiflora
heterophylla
lactea
lutea
multiflora
odorata *albo plena*
β ceruleo plena
γ pallido plena
δ purpureo plena
palmata
pedata
pennsylvanica
striata
uniflora
villosa
WULFENIA
carinthiaca
ZYGOPHYLLUM
Fabago

FERNS.

Those marked § are tender.

ACROSTICHUM

§alcorne
septentrionale

ADIANTUM

pedatum
§reniforme

ASPIDIUM

boreale
Felix Mas
Felix Femina
§exaltatum
fragile
Thelypteris

ASPLENIUM

Adiantum nigrum
lanceolatum
marinum
§præmorsum
Ruta-muraria
Trichomanes

BLECHNUM

§jamaicensis
§occidentale
orientale

BOTRYCHIUM

Lunaria

DAVALLIA

§canariensis

DIPLAZIUM

§seramporium

DOODIA

§aspera

GRAMMITIS

Ceterach

LYGODIUM

§scandens

ONOCLEA

sensibilis

OPHIOGLOSSUM

vulgatum

POLYPODIUM

§aureum
auriculatum
bulbiferum
crassifolium
cambricum
cristatum
Dryopteris
§effusum
lobatum
trifoliatum
virginicum
vulgare

PTERIS

§arguta
§chinensis
cretica
crispa
caudata
hastata
§longifolia
plumaria
§serrulata

WOODSIA

hyperborea

GREEN HOUSE PLANTS.

Those marked * are Climbers.

ACACIA

alata
armata
aspera
calamifolia
capensis
cyclopis
decipiens
decurrens
diffusa
discolor
Esterhazea
falcata
floribunda
hispidissima
juniperina
linifolia
longifolia
longissima
lophantha
lunata
marginata
Melanoxydon
nigricans
paradoxa
prostrata
pubescens
pulchella
rutæfolia
Sophoræ
stricta
sulcata
taxifolia
verticillata
AGAPANTHUS
præcox
β — variegatus
umbellatus
β — flore albo
AGAVE
americana
β — variegata
AGERATUM
cælestinum

AITONIA

capensis
ALBUCA
caudata
coarctata
fastigiata
vittata
ALOE
lingua
margaritifera
mitræformis
plicatilis
retusa
socotrina
spiralis
variegata
verrucosa
ALONSOA
linearis
urticifolia
ALOYSIA
citriodora
ALSTROEMERIA
pelegrina
β — alba
AMARYLLIS
aurea
Belladonna
blanda
formosissima
Johnsoni
β — vittata
longifolia
psittacina Johnsoni
purpurea
revoluta
rutula Johnsoni
sarniensis
undulata
venusta
vittata
ANAGALLIS
fruticosa
Monelli

ANDERSONIA

sprengelioides
ANIGOZANTHUS
flavida
ANOMATHECA
juncea
ANTHOLYZA
æthiopica
ANTHYLLIS
Barba-jovis
cretica
erinacea
Hermanniae
ANTIRRHINUM
molle
AOTUS
villosa
ARAUCARIA
braziliensis
imbricata
ARBUTUS
canariensis
ARCTOTIS
scaulis
aspera
aureola
maculata
tricolor
ARDUINIA
bispinosa
ARISTEA
capitata
cyanea
spiralis
ARISTOLOCHIA
**glaucia*
**sempervirens*
ARMERIA
fasciculata
ARTEMISIA
moxa
ASCLEPIAS
parviflora
ASCYRUM
Crux Andrae

ASPALATHUS
 albens
ASTELMA
 eximium
 fruticans
ASTER
 argophyllus
 dentatus
 foliosus
 lineatus
 reflexus
 tomentosus
ASTROLOMA
 humifusum
ATHANASIA
 crithmifolia
ATRAGENE
 capensis
AULAX
 pinifolia
 umbellata
AZALEA
 indica
 β — alba
 γ — pur. plena
BABIANA
 rubro-cyanea
 sulphurea
 tubiflora
BACCHARIS
 ivæfolia
 neriifolia
BÆCKIA
 frutescens
 virgata
BANKSIA
 æmula
 collina
 ericifolia
 integrifolia
 latifolia
 littoralis
 marcescens
 marginata
 oblongifolia
 paludosa
 serrata
 spinulosa
 verticillata
BAUERA
 humilis
 rubiæfolia
BEAUFORTIA
 decussata
 sparsa
BERCKHEYA
 grandiflora
 uniflora
BIGNONIA
 *australis
 *capreolata
 *grandiflora

BIGNONIA
 *Pandoræ
BILLARDIERA
 *longiflora
 *mutabilis
 *scandens
BLÆRIA
 ericoides
 purpurea
BORBONIA
 cordata
 lanceolata
BORONIA
 pinnata
 serrulata
BOSEA
 Yervamora
BOSSIÆA
 cinerea
 heterophylla
 linophylla
 prostrata
 rufa
 Scolopendrium
BOUARDIA
 triphylla
 versicolor
BRACHYSEMA
 *latifolium
 *undulatum
BRUNIA
 abrotanoides
 ciliata
 ericoides
 lanuginosa
 nodiflora
BRUNSVIGIA
 ciliaris
 falcata
 Josephinæ
 multiflora
 toxicaria
BUMELIA
 tenax
BUPHTHALMUM
 sericeum
BURCHELLIA
 breviflora
 capensis
CACALIA
 articulata
 repens
CACTUS
 flagelliformis
 Opuntia
CALCEOLARIA
 corymbosa
 Fothergillii
 integrifolia
 rugosa
CALENDULA
 aurea

CALENDULA
 dentata
 graminifolia
 Tragus
 viscosa
CALLISTACHYS
 lanceolata
 ovata
CALLA
 æthiopica
CALLICOMA
 serratifolia
CALLISTEMON
 lanceolatum
 lineare
 rigidum
 salignum
 speciosum
CALODENDRUM
 capense
CALOTHAMNUS
 gracilis
 quadrifida
 villosa
CAMELLIA
 axillaris
 japonica
 β — alba
 γ — plena
 δ — anemoneflora
 ε — — variegata
 ζ — atrorubens
 η — carnea plena
 θ — conchii flora
 ι — fimbriata
 κ — flavescens
 λ — hexangularis
 μ — luteo albicans
 ν — myrtifolia
 ξ — pæoniiflora
 ο — pomponia
 ω — rubra
 φ — — plena
 σ — rubicaulis
 τ — semiduplex
 υ — splendens
 φ — variegata
 Sasanqua
 β — rubra plena
With many other Seedling
Varieties.
CAMPANULA
 gracilis
 mollis
 saxatilis
CANARINA
 Campanula
CAPPARIS
 Breynia

CASSIA
 stipulacea
CASSINE
 capensis
 laevigata
 Maurocenia
 spectabilis
CASUARINA
 equisetifolia
 stricta
CEANOTHUS
 africanus
 azureus
CELASTRUS
 buxifolius
 Pyracanthus
CELSIA
 arcturus
 lanceolata
CERATONIA
 Siliqua
CHAMÆROPS
 humilis
CHEIRANTHUS
 mutabilis
 strictus
CHIRONIA
 baccifera
 decussata
 frutescens
 β — *alba*
 jasminoides
 linoides
 lychnoides
CHORIZEMA
 nana
CHRYSOCOMA
 comaurea
CINERARIA
 amelloides
 cruenta
 elegans
 lanata
 Petasites
 populifolia
CITRUS
 acida
 Aurantium
 β — *blood red*
 γ — *cornutum*
 δ — *flora pleno*
 ε — *fol. var.*
 ζ — *fructus striata*
 η — *Pompolium*
 τ — *Portugal*
 ι — *pyramidalis*
 κ — *St. Michael's*
 λ — *sweet China*
 buxifolia
 Decumana

CITRUS
 Limonium
 medica
 myrtifolia
 nobilis
 β — *minor*
CLEMATIS
 *aristata
 *brachiata
 *calycina
CLETHRA
 arborea
 β — *fol. var.*
CLIFFORTIA
 cuneata
 ilicifolia
CLUYTIA
 alaternoides
CNEORUM
 tricoccum
COBÆA
 *scandens
COMMERSONIA
 dasphylla
CONVOLVULUS
 *althæoides
 *bryoniæfolius
 *canariensis
 Cneorum
 *pannifolius
CONYZA
 inuloides
CORIARIA
 procumbens
CORONILLA
 glauca
 β — *fol. var.*
 valentina
 viminalis
CORRÆA
 alba
 speciosa
 viridiflora
COTYLEDON
 coccinea
 hemisphærica
 orbiculata
 ovata
CRASSULA
 ciliata
 coccinea
 cordata
 falcata
 odoratissima
 versicolor
CROTALARIA
 cordifolia
 purpurea
CROWEA
 saligna
CULLUMIA
 ciliaris

CUNONIA
 capensis
CUPRESSUS
 australis
 juniperoides
CURTISIA
 faginea
CUSSONIA
 spicata
 thrysiflora
CYANELLA
 capensis
CYCLAMEN
 persicum
 β — *odoratum*
CYCLOPIA
 genistoides
CYNANCHUM
 *obtusifolium
 *pilosum
CYRTANTHUS
 angustifolius
 collinus
 obliquus
CYTISUS
 foliolosus
 proliferus
 tomentosus
DAIS
 cotinifolia
DAPHNE
 odora
 β — *fol. var.*
DAVIESIA
 corymbosa
 latifolia
 mimosoides
 ulicina
DIANELLA
 cærulea
DIANTHUS
 fruticosus
 suffruticosus
 violaceus
DIGITALIS
 canariensis
 sceptrum
DILLWYNIA
 ericifolia
 floribunda
 glaberrima
 parvifolia
DIONÆA
 muscipula
DIOSMA
 amœna
 capitata
 Cerefolium
 ciliata
 crenata
 crenulata
 cupressina

DIOSMA

ericoides
foetidissima
fragrans
hirsuta
imbricata
ovata
pulchella
reflexa
rubra
serratifolia
speciosa
villosa

DISANDRA

prostrata

DODONÆA

triquetra

DOLICHOS

*lignosus

DRACOCEPHALUM

canariense

DRIMIA

lanceæfolia

DRYANDRA

floribunda

longifolia

ECHIUM

candicans
fastuosum
fruticosum
grandiflorum

ELÆOCARPUS

cyaneus

ELICHRYSUM

argenteum
fasciculatum

β — *album*

γ — *rubrum*

δ — *variegatum*

ϵ — *flavescens*

fulgidum

humile

proliferum

β — *erectum*

γ — *magnum*

retortum

sesamoides

β — *superbum*

speciosissimum

spirale

Stæhelina

variegatum

vestitum

EMPLEURUM

serrulatum

ENKIANTHUS

quinqueflorus

EPACRIS

exserta
grandiflora
microphylla

EPACRIS

obtusifolia
pulchella
purpurascens

ERICA

abietina
actea
acuminata
acuta
Aitoniana
albena
amæna
ampullacea
andromedæflora
arborea

β — *stylota*

Archeriana

arctata

ardens

aristata

aspera

assurgens

aurea

baccans

Bandoniana

β — *longiflora*

Banksii

β — *purpurea*

barbata

β — *minor*

bicolor

blanda

Blandfordiana

Bonplandia

Bowieana

bruniades

caffa

calycina

β — *capitata*

campanulata

canescens

capitata

carneola

cerinthoides

β — *coronata*

γ — *superba*

cernua

clavæflora

coccinea

colorans

comosa

β — *alba*

γ — *rubra*

concinna

concolor

conferta

conspicua

costata

Coventryana

cruenta

ERICA

cubica

β — *minor*

curviflora

cylindrica

daphnæflora

decora

delecta

denticulata

β — *alba*

γ — *rubra*

depressa

discolor

dumosa

echiiflora

elata

elegans

empetrifolia

empetroides

Ewerana

β — *superba*

exurgens

fascicularis

fastigiata

ferruginea

filamentosa

flava

flexuosa

florida

formosa

β — *bicolor*

fragrans

gelida

gemmaifera

glabra

glauca

glutinosa

gracilis

grandiflora

halicacaba

Hibbertiana

hirta

hirtiflora

hispida

hispidula

Humeana

hyacinthoides

hybrida

ignescens

imbecilla

imbricata

incarnata

inflata

infundibuliformis

Irbyana

jasminiflora

juliana

Kennedia

lachnæfolia

lacticolor

lævis

ERICA

Lambertiana
 lanata
 lanuginosa
 Lawsoni
 Lecana
 Linnæana
β — superba
 linnæoides
 longiflora
 longifolia
 longipedunculata
 lutea
 magnifica
 mammosa
β — minor
γ — purpurea
 marifolia
 margaritacea
 Massoni
 melananthera
 melastoma
 metulæflora
 mirabilis
 modesta
 monadelphica
 Monsoniæ
 moschata
 mucosa
 multifl. *filamentosa*
 mundula
 muscari
 mutabilis
 nigrita
 nitida
β — alba
γ — rubra
 Niveni
 nobilis
 obliqua
 odorata
 olula
 oppositifolia
β — major
 palustris
 Parmentieri
 Pattersoni
β — major
 pellucida
 penæa
 penicillata
 penicilliflora
 perlata
 persoluta
β — alba
γ — rubra
 perspicua
 Petiveriana
 petiolata
 physodes
 picta

ERICA

pinæa
 pinifolia
β — discolor
γ — elegans
 Plukenetiana
 plumosa
 prægnans
 præstans
 primuloides
 princeps
 propendens
 pubescens
β — major
γ — minor
δ — minima
 pulchella
 pulverulenta
 purpurea
 pyramidalis
 quadriflora
β — pendula
 racemosa
 radiata
 ramentacea
 recurvata
 regerminans
 resinosa
 retorta
 Rollissoni
 rosea
 rubens
 rupestris
 Savillii
 Sebana
β — aurantia
γ — lutea
δ — spicata
 serratifolia
 sexfaria
 Shannoni
 simpliciflora
 Solandri
β — alba
γ — rubra
 sordida
 speciosa
 spicata
 splendens
 spuria
 squamosa
 sulphurea
 Swainsoniana
 taxifolia
 Templæa
 tenella
 tenuicaule
 tenuifolia
 thalictriflora
 Thumbergii
 thymifolia

ERICA

togata
 translucens
 triceps
 tricolor
 triflora
 triumphans
 tubiflora
 tumida
 Ubria
β — pilosa
 umbellata
 urceolaris
 ventricosa
β — alba
γ — carnea
δ — coccinea
ε — hirta
ζ — stellata
 venusta
 vernix
 verticillata
 versicolor
 vestita
β — alba
γ — carnea
δ — coccinea
ε — fulgida
ζ — purpurea
η — rosea
 viridis
 viscaria
 Walkeri
 ERINUS
 Lychnidea
 ERIOSPERMUM
 latifolium
 ERIOSTEMON
 salicifolia
 ERYTHRINA
 Cristagalli
 herbacea
 EUCALYPTUS
 botryoides
 corymbosa
 perfoliata
 pulverulenta
 resinifera
 robusta
 EUCHILUS
 obcordatus
 EUCLEA
 racemosa
 EUCOMIS
 punctata
 striata
 EUGENIA
 australis
 elliptica
 myrtifolia

EUPHORBIA

amygdaloides
caput medusæ
mellifera
rigida
salicifolia

EUSTREPHUS

*latifolius

EUTAXIA

myrtifolia

FABRICIA

lævigata

myrtifolia

FALKIA

repens

FERRARIA

undulata

FICUS

aspera

australis

capensis

stipulata

FUCHSIA

arborescens

coccinea

excorticata

gracilis

lycioides

rosea

GASTROLOBIMUM

bilobum

GAZANIA

lutea

pavonia

rigens

GENISTA

canariensis

linifolia

GLADIOLUS

angustus

blandus

cardinalis

Colvillii

Cunonia

cuspidatus

edulis

floribundus

plicatus

roseus

trimaculatus

tristis

undulatus

viperatus

Watsonius

GLOBULARIA

longifolia

GLYCINE

*bituminosa

*sinensis

GNAPHALIMUM

apiculatum

congestum

crassifolium

GNAPHALIMUM

ericoides

foetidum

grandiflorum

orientale

GNIDIA

denudata

imberbis

oppositifolia

pinifolia

simplex

GOMPHOCARPUS

arborescens

fruticosus

GOMPHOLOBIUM

grandiflorum

pinnatum

venustum

GOODENIA

grandiflora

GOODIA

lotifolia

pubescens

GORDONIA

Lasianthus

GREVILLEA

buxifolia

juniperina

linearis

GREWIA

occidentalis

GRINDELIA

glutinosa

squarrosa

HÆMANTHUS

albiflos

coccineus

maculatus

multiflorus

pubescens

puniceus

tigrinus

HAKEA

acicularis

amplexicaulis

ceratophylla

cinerea

dactyloides

elliptica

florida

gibbosa

ilicifolia

macrocarpa

nitida

oleifolia

pugioniformis

prostrata

saligna

suaveolens

HALLERIA

lucida

HALLIA

imbricata

HEBENSTRETIA

dentata

HELIOTROPIMUM

corymbosum

peruvianum

HERMANNIA

althæifolia

flammea

hyssopifolia

lavandulifolia

procumbens

HIBBERTIA

*dentata

*grossulariæfolia

*volubilis

HIBISCUS

heterophyllus

speciosus

HIPPOCREPIS

balearica

HOVEA

Celsi

lanceolata

linearis

HOVENIA

dulcis

HUMEA

elegans

HYDRANGEA

hortensis

HYCOSYAMUS

aureus

HYPERICUM

ægyptiacum

balearicum

Coris

monogynum

HYPOXIS

stellata

villosa

IBERIS

gibraltarica

ILICIMUM

floridanum

parviflorum

INDIGOFERA

amæna

australis

cytisoides

filifolia

hirsuta

sarmentosa

ISOPOGON

anemonifolius

anethifolius

formosus

IXIA

aristata

β — *violacea*

bicolor

bulbifera

conica

β — *fl. rosea*

IXIA

crateroides
 crocata
 erecta
 β — *lutea*
 flexuosa
 β — *kilicina*
 grandiflora
 β — *kiliaga*
 longiflora
 maculata
 β — *alba*
 γ — *aurea intus niger*
 δ — *carnosina*
 ε — *cærulea*
 ζ — *viridis intus niger*
 η — *violacea intus viridis*
 monadelphica
 palmæfolia *alba*
 β — *cærulea*
 γ — *sulphurea*
 polystachia
 β — *alba*
 γ — *lutea*
 δ — *violacea*
 quadrangularis
 reticulata
 viridiflora

IXODIA

achillæoides

JASMINUM

azoricum
 glaucum
 gracile
 grandiflorum
 odoratissimum

JUSSIEA

grandiflora

JUSTICIA

Adhatoda

KENNEDIA

*coccinea
 *Comptoniana
 *monophylla
 *rubicunda
 *trifoliata

KNOWLTONIA

vesicatoria

LACHENALIA

flava
 fragrans
 pendula
 purpureo cærulea
 quadricolor
 racemosa
 rubida
 tricolor
 unicolor

LACHNÆA

conglomerata
 eriocephala
 purpurea

LAMBERTIA

formosa

LASIOPETALUM

arborescens
 corylæfolium
 ferrugineum
 parviflorum
 quercifolium
 solanaceum

LAVANDULA

dentata
 Stæchas

LAURUS

Camphora
 caroliniensis
 færens
 glauca
 indica

LEBECKIA

cytisoides

LEONTIS

Leonotis
 Leonurus

LEPTOSPERMUM

ambiguum
 baccatum
 flavescens
 grandiflorum
 juniperinum
 lanigerum

LEUCADENDRON

abietinum
 adscendens
 angustatum
 argenteum
 cinereum
 grandiflorum
 Levisanus
 ovale
 salignum
 uliginosum

LEUCOPOGON

juniperinus
 lanceolatus

LEUCOSPERMUM

conocarpum

LINARIA

triornithophorum
 tristis

LINUM

africanum
 arboreum
 quadrifolium
 trigynum

LIPARIA

hirsuta
 sericea
 sphaerica
 villosa

LOBELIA

arguta
 bicolor
 coronopifolia
 Erinus
 hirsuta
 lutea
 pubescens
 Tupa
 unidentata

LODDIGESIA

oxalidifolia

LOGANIA

floribunda

LOMATIA

longifolia
 silaifolia

LONICERA

*flava
 *flexuosa
 *japonica
 *pubescens

LOTUS

arboreus
 australis
 hirsutus
 jacobæus
 β — *luteus*

LYCHNIS

coronata

LYSINEME

pungens
 β — *alba*

γ — *rubra*

MAGNOLIA

annonæfolia
 fuscata
 pumila

MAHERNIA

diffusa
 incisa
 pinnata

MALVA

capensis
 grossularifolia
 reflexa
 virgata

MANULEA

tomentosa

MARSDENIA

*suaveolens

MATHIOLA

tristis

MAURANDIA

*antirrhiniflora
 *semperflorens

MEDICAGO

arborea

MELALEUCA

armillaris
 calycina
 decussata

MELALEUCA

densa
diosmæfolia
ericifolia
fulgens
hypericifolia
linariifolia
nodosa
paludosa
pulchella
scabra
squamea
squarrosa
striata
stypheoloides
thymifolia
uncinata

MESEMBRYANTHE-**MUM**

acinaciforme
anatomicum
anceps
aureum
barbatum
bifidum
calamiforme
canaliculatum
caninum
ciliatum
coccineum
compressum
corniculatum
cymbiforme
densum
dentatum
depressum
difforme
dilatatum
dimidiatum
dolabriforme
falcatum
fastigiatum
felinum
forficatum
Haworthii
hirsutum
humifusum
imbricatum
includens
linguæforme
maximum
micans
microphyllum
minutum
multiflorum
murinum
nuciforme
obliquum
obtusum
pubescens
pugioniforme
pulchellum
reflexum

MESEMBRYANTHE-**MUM**

rigidum
speciosum
spectabile
spinosum
splendens
striatum
subulatum
tenuifolium
tortuosum
uncinatum
vaginatum

METROSIDEROS

hispida

MIMULUS

glutinosus

MIRBELIA

reticulata

MONTINIA

*caryophyllacea

MORÆA

collina

pavonia

tricuspis

MYOPORUM

debile

parvifolium

viscosum

MYRICA

cordifolia

quercifolia

serrata

MYRSINE

africana

retusa

MYRTUS

communis

β — *belgica*

γ — *bætica*

δ — *fl. pleno*

ε — *fol. var.*

ζ — *mucronata*

η — *romana*

θ — *taurentina*

tomentosa

NANDINA

domestica

NERIUM

odorum

β — *fl. pleno*

Oleander

β — *album*

γ — *splendens*

NOTELEA

ligustrina

ŒDERA

prolifera

OLEA

americana

OLEA

capensis

europæa

β — *angustifolia*

γ — *latifolia*

δ — *longifolia*

ε — *obliqua*

fragrans

ONONIS

crispa

natrix

ORIGANUM

ægyptiacum

Dictamnus

Tournefortii

ORNITHOGALUM

aureum

caudatum

longibracteatum

niveum

thyrsoides

OSTEOSPERMUM

moniliferum

pisiferum

OTHONNA

Athanasie

pectinata

pinnata

OXALIS

caprina

flabellifolia

hirta

purpurea

rubella

variabilis

β — *albiflora*

γ — *rubra*

versicolor

OXYLOBIUM

arborescens

cordifolium

PÆDERIA

foetida

PASSERINA

filiformis

grandiflora

spicata

PASSIFLORA

*adantifolia

*cærulea racemosa

*β — *Woodettii*

*Colvillii

*edulis

*incarnata

PAVONIA

præmorsa

PENÆA

squamosa

PENTZIA

flabelliformis

GERANIACEÆ.

Those marked * are figured in Sweet's Geraniaceæ.

CAMPYLIA

- *blattaria
- *cana
- *carinata
- *elegans
- *holosericea
- pallida
- *variegata
- *verbasciflora

CICONIUM

- Basilisk
- brunette
- Cape Scarlet
- *cerinum
- coronation
- Daphne
- double pink
- Duke of Hamilton
- Duncombe's scarlet
- *Fothergillii
- gold striped
- grand sultan
- *hybridum
- *micranthum
- *monstrum
- nobile
- *reticulatum
- Ricketts's seedling
- Salamanca
- silver striped
- Smithii
- Talavera

DIMACRIA

- *astragalifolia
- *bipartita
- *depressa
- *elegans
- *pinnata
- *sulphurea

ERODIUM

- *crassifolium
- *hymenoides
- *incarnatum

GRIELUM

- *laciniatum
- *tenuifolium

HOAREA

- *astragalifolia

HOAREA

- *atra
- *atrosanguinea
- *Colvillii
- *congesta
- *corydaliflora
- *elegans
- *labyrinthica
- *melanantha
- *nivea
- *nutans
- *ovalifolia
- *radicata
- *reticulata
- *retusa
- *selinifolia
- *setosa
- *sisymbriifolia
- *varia
- *venosa
- *violæflora

ISOPETALUM

- *cotyledonis

JENKINSONIA

- *pendula
- *quinata
- *tetragona

MONSONIA

- *lobata
- *pilosa
- *speciosa

OTIDIA

- *alternans
- *carnosa
- *dasycaulon
- *laxa

PELARGONIUM

- *æmulum
- *acetosum
- *acidum
- *acutilobum
- *affine
- Alexander
- *amœnum
- *anthriscifolium
- Apollo
- *ardens

β — major

PELARGONIUM

- *ardens
- γ — *superbum*
- ardescens
- *armatum
- *asperifolium
- *atrofuscum
- angustum
- *aurantiacum
- *australe
- *Bailey anum
- *Bakerianum
- *Barnardianum
- Barringtonii
- *Beaufortianum
- *Beadoniæ
- *Belladonna
- *bellulum
- *bethelinum
- betulinum
- β — *album*
- γ — *grandiflorum*
- δ — *superbum*
- *bicolor
- β — *atrum*
- Billardiera
- *Bishopæ
- *Blandfordianum
- *Blandum
- *Boyleæ
- *Breese anum
- brevipes
- *Brightianum
- Broomfield's seedling
- *Broughtoniæ
- *Brownii
- Butei
- *calocephalon
- *calycinum
- *candidum
- Capper's Black Prince
- *cardiifolium
- *celericum
- *Chærophyllum
- *chrysanthemifolium
- citri-odorum
- β — *album*

PELARGONIUM

*coarctatum
 *Colvillianum
 chloris
 *Comptoniæ
 *comptum
 *concinnatum
 *conclausum
 *concolor
 *β — *major*
 Cora
 *cordatum
 *coriandrifolium
 coronation
 *cortusæfolium
 *coruscans
 *Cosmianum
 *Couttsiæ
 *crassicaule
 crispum
 *cruentum
 cucullatum
 β — *grandiflorum*
 dandy
 Dansonæ
 *Daveyanum
 David
 De Cliffordiæ
 *delicatum
 *Dennisianum
 *dependens
 *difforme
 *dimacriæflorum
 *dissectum
 *dumosum
 *echinatum
 β — *rubrum*
 *electum
 *elegans
 *β — *minor*
 Emily
 *erectum
 *Essexiæ
 *eximium
 *Fairliæ
 feronia
 *filipendulifolium
 flammeum
 *flavum
 *flexuosum
 *floccosum
 *floridum
 formanum
 formosum
 β — *album*
 *formosissimum
 *fragrans
 *fulgidum
 *fuscum
 *fusciflorum
 *Gardneriæ
 General Riego

PELARGONIUM

Generalissimo
 *gibbosum
 *glaucifolium
 *glaucioides
 *glaucum
 glutinosum
 Goodfordia
 *grandidentatum
 *grandiflorum
 β — *incarnatum*
 graveolens
 β — *variegatum*
 *Hammersleiße
 *heterotrichum
 hirtum
 *hoareæflorum
 Hoareanum
 *humifusum
 *Husseyanum
 Hydeanum
 *ignescens
 *β — *major*
 *γ — *minor*
 δ — *minimum*
 ε — *splendens*
 *imbricatum
 *incanescens
 *incarnatum
 *incisum
 incomparabile
 *inscriptum
 *incurvum
 *involutratum
 β — *incarnatum*
 γ — *intermedium*
 δ — *maximum*
 *inodorum
 *intertextum
 *Irbyanum
 *Jenkinsoni
 *jonquillinum
 *Kingii
 *Lamberti
 *latilobum
 β — *flammeum*
 Laurette
 *laxiflorum
 *lepidum
 *ligulatum
 *Limonium
 *lineatum
 β — *major*
 *lobatum
 *Lousadianum
 *luridum
 *macranthos
 *maculatum
 β — *roseum*
 *Mattocksianum
 Maid of Orleans

PELARGONIUM

Mark Anthony
 *melissinum
 Milleri
 Miss Maitland
 *mixtum
 *modestum
 *Moreanum
 *Mostynæ
 Mount Ætna
 *multinerve
 *multi radiatum
 Mungo Park
 *mundulum
 *mucronatum
 *mutabile
 *Murrayanum
 Myeranum
 *nanum
 *nervosum
 *Newshamianum
 *oblatum
 *obscurum
 *obsoletum
 *obtusifolium
 *obtusilobum
 odoratissimum
 *optabile
 *opulifolium
 *ornatum
 *ovale
 *pallens
 *pannifolium
 *papilionaceum
 *patens
 *Parmentieri
 *particeps
 *pavoninum
 β — *cordifolium*
 *paucidentatum
 *pectinifolium
 pedicellatum
 pellucidum
 penicillatum
 β — *rubrum*
 *phœniceum
 Phillippsæ
 *pinguifolium
 *planifolium
 *platypetalon
 *Potteri
 Prince of Orange
 *principissæ
 *pulchellum
 *pulcherrimum
 *pulchrum
 *pulverulentum
 *pyrethriifolium
 quercifolium
 β — *dentiflorum*
 γ — *maculatum*
 δ — *purpureum*

CACTUS

brasiliensis
cochinillifera
Ficus-indica
grandiflorus
hexagonus
lanuginosus
mammillaris
Melocactus
Pereskia
pes-corvi
pernambucaensis
phyllanthoides
speciosus
speciosissimus
spinosissimus
tetragonus
triangularis
truncatus

CADIA

purpurea

CALADIUM

bicolor

esculentum

CALOTROPIS

gigantea

glauc

indica

iridiflora

Lamberti

lutea

CAPPARIS

*spinosa

CARICA

Papaya

CARISSA

spinarum

CAROLINEA

insignis

princeps

CASSIA

arborescens

bicapsularis

purpurea

viminea

CATASETUM

Claveringi

CATESBÆA

latifolia

spinosa

CERBERA

Ahouai

fruticosa

Manghas

Thevetia

CHLIDANTHUS

fragrans

CHRYSOPHYLLUM

Cainito

CISSUS

*vitiginea

CYTHAREXYLUM

quadrangulare

CLEMATIS

*hedysarifolia

CLERODENDRUM

fragrans

infortunatum

macrophyllum

nutans

paniculatum

squamatum

viscosum

CLITORIA

*ternatea

CLUSIA

flava

COCCOLOBA

pubescens

uvifera

COCOS

nucifera

COFFEA

arabica

occidentalis

COIX

Lachryma

COLUMNÆA

hirsuta

scandens

COMBRETUM

*comosum

*laxum

*purpureum

CONVOLVULUS

*Batatas

CORDIA

Sebestena

CORYPHA

umbraculifera

COSSINIA

pinnata

CRESCENTIA

cucurbitina

CRINUM

amabile

americanum

amœnum

asiaticum

canaliculatum

Commelini

cruentum

erubescens

β — capense

Govenium

moluccanum

pedunculatum

petiolatum

scabrum

β — erubescens

Toxicaria

CROSSANDRA

undulæfolia

CROTON

digitatum

CROTON

lineare

variegatum

CRYPTOSTEGIA

grandiflora

CYCAS

revoluta

CYMBIDIUM

aloifolium

ensifolium

sinense

CYPERUS

alternifolius

Papyrus

CYPRIPEDIUM

venustum

DALBERGIA

rubiginosa

*scandens

DENDROBIUM

formosum

speciosum

DICHORIZANDRA

thyrsiflora

DICHONDRA

sericea

DILLENIA

*scandens

*speciosa

DIOSCOREA

sativa

DOLICHOS

*Lablab

*purpureus

DOMBEYA

ferruginea

DORYANTHUS

excelsa

DRACÆNA

australis

ferrea

fragrans

DURANTA

Plumieri

ECHITES

nutans

paniculata

ELÆAGNUS

latifolia

EPIDENDRUM

ciliare

cochleatum

elongatum

fuscatum

umbellatum

ERANTHEMUM

bicolor

pulchellum

spinosum

ERYTHRINA

caffra

Christa-galli

ERYTHRINA

picta
speciosa

EUGENIA

acuminata
aquea
Jambos
latifolia
malaccensis

EUPHORBIA

laurina
punicea

FICUS

bengalensis
elastica
indica
nitida
religiosa

FLEMINGIA

stricta
strobilifera

GÆRTNERA

racemosa

GARCINIA

Mongostana

GARDENIA

amœna
campanulata
dumetorum
florida

β — *f. pleno*

latifolia
radicans
Rothmannia
spinosa

Thunbergia

GEOFFROYA

inermis

GESNERIA

aggregata
bulbosa
prasinata
tomentosa

GLOBBA

radicalis

GLORIOSA

*superba

GLOXINIA

alba
maculata
speciosa

GOODYERA

discolor

GOSSYPIUM

arboresum
barbadense

GREWIA

orientalis

GRISLEA

tomentosa

GAUREA

trichilioides

GUSTAVIA

augusta

HAMELLIA

patens
ventricosa

HEDYCHIUM

angustifolium
carneum
coccineum
coronarum
Gardnerianum
spicatum

HEDYSARUM

gyrans
gyroides

HELICONIA

Bihai
Psittacorum

HERITIERA

littoralis

HERNANDIA

sonora

HIBISCUS

gangeticus
Lampas
Manihot
mutabilis
pedunculatus
Rosa-sinensis

β — *flavo plenus*

γ — *roseo plenus*

δ — *rubro plenus*

speciosus
tiliaceus

HOYA

*albans
*carnosa
*crassifolia

HURA

crepitans

HYMENÆA

Courbaril

INDIGOFERA

tinctoria

INGA

purpurea

IPOMCEA

*cairica
*grandiflora
*Jalapa
*insignis
*mutabilis
*paniculata
*speciosa
*tuberculata
*tuberosa

IXORA

Bandhuca
blanda
coccinea
crocata
flammea

IXORA

grandiflora
JACARANDA

mimosifolia

JACQUINIA

armillaris
aurantiaca

JAMBOLIFERA

pedunculata

JASMINUM

*auriculatum
*hirsutum
*laurifolium
Sambac

β — *f. pleno*

γ — *trifoliatum*

*simplicifolium

*trinervum

JATROPHA

multifida
panduræfolia

JUSSLÆA

suffruticosa

JUSTICIA

coccinea
lucida
nasuta
nitida
picta

KEMPFERIA

angustifolia
Galanga
rotundifolia

LAGERSTRÆMIA

indica
reginæ

LANTANA

aculeata
Camara

nivea

odorata

rosea

trifoliata

LAURUS

Cassia
Cinnamomum
Persea

LAWSONIA

inermis
spinosa

LIMNOCHARIS

Plumieri

LIMODORUM

falcatum

LIMONIA

trifoliata

LOBELIA

surinamensis

MALPIGHIA

fucata
linearis
nitida

MALPIGHIA
 urens
 volubilis
MAMMEA
 americana
MANGIFERA
 indica
MARANTA
 bicolor
 zebrina
MARICA
 cærulea
 martinicensis
 Northiana
MELALEUCA
 Leucadendron
MELASTOMA
 albicans
 aspera
 grandifolia
 heteromalla
 hirta
 macrophylla
 malabathrica
 rubrifolia
 sanguinea
 speciosa
 velutina
MELHANIA
 Erythroxyton
MELODINUS
 monogynus
 *scandens
MIMOSA
 pudica
 rubicaulis
 sensitiva
MIMUSOPS
 Elengi
MORINDA
 citrifolia
MURRAYA
 exotica
MUSA
 coccinea
 Paradisiaca
 sapientum
 superba
MYRTUS
 acris
 disticha
 lucida
 Pimenta
 tomentosa
NELUMBIUM
 luteum
 speciosum
NEOTTIA
 picta
 speciosa
NERIUM
 tinctorium

NYCTANTHES
 *Arbor-tristis
NYMPHÆA
 cærulea
 Lotus
 pygmaea
 rubra
 stellata
OMPHALEA
 triandra
OPHIOGLOSSUM
 reticulatum
OPHIOXYLON
 serpentinum
ORNITHIDIUM
 coccineum
OSBECKIA
 stellata
OXYANTHUS
 speciosus
PANCRATIUM
 amboynense
 amœnum
 angustum
 calathinum
 caribæum
 distichum
 expansum
 fragrans
 littorale
 ovatum
 speciosum
 tenuifolium
PANDANUS
 odoratissimus
PARKINSONIA
 aculeata
PASSIFLORA
 *alata
 *albida
 *ciliata
 *edulis
 *fœtida
 *glaucæ
 *holosericea
 *laurifolia
 *lunata
 *lutea
 *maliformis
 *Murucuja
 *peltata
 *picturata
 *punctata
 *quadrangularis
 *racemosa
 *rubra
 *serrata
 *serratifolia
 *suberosa
 *vespertilio
PAVETTA
 indica

PAULLINIA
 pinnata
PELIOSANTHES
 Teta
PENTAPETES
 ovata
PERGULARIA
 *minor
 *odoratissima
PETRÆA
 *volubilis
PHASÆOLUS
 *Caracalla
PHENIX
 dactylifera
PHYLLANTHUS
 angustifolius
 falcatus
 latifolius
PHYLLOMA
 aloiflorum
PINUS
 Dammara
PIPER
 blandum
 longum
 magnoliæfolium
 nigrum
 trifolium
PITCAIRNIA
 angustifolia
 bromeliæfolia
 integrifolia
 latifolia
PLUMBAGO
 rosea
 zeylanica
PLUMERIA
 alba
 rubra
POINCIANA
 pulcherrima
PONTEDERIA
 cordata
PORTLANDIA
 grandiflora
POTHOS
 cordata
PROSOPIS
 spicigera
PSIDIUM
 Cattleianum
 pomiferum
 pyriferum
PTEROSPERMUM
 acerifolium
 suberifolium
QUASSIA
 amara
QUISQUALIS
 *indica
RHAPIS
 flabelliformis

HOT HOUSE PLANTS.

RIVINA
 canescens
 humilis
 RONDELETIA
 hirta
 ROXBURGHIA
 gloriosa
 RUELLIA
 formosa
 RUIZIA
 aurea
 RUSSELLIA
 *multiflora
 SACCHARUM
 officinarum
 SALVIA
 amena
 mexicana
 splendens
 SAMYDA
 rosea
 SAPINDUS
 Saponaria
 SATUREJA
 viminea
 SCHOTIA
 speciosa
 tamarindifolia
 SENECIO
 Pseudo-China
 SESBANIA
 grandiflora
 SIDA
 arborea
 cristata
 rhombifolia
 SMILAX
 *zeylanica
 SOLANDRA
 grandiflora
 SOLANUM
 amazonium
 indicum

SOLANUM
 *Seaforthianum
 STACHYTARPHETA
 cærulea
 mutabilis
 STAPELIA
 asterias
 bufonia
 glauca
 grandiflora
 hirsuta
 pilifera
 pulla
 punctata
 variegata
 STERCULIA
 Balanghas
 platanifolia
 STILAGO
 Bunias
 STRELITZIA
 angustifolia
 augusta
 ovata
 parvifolia
 reginae
 STROPHANTHUS
 dichotomus
 STRYCHNOS
 Nux-vomica
 SWIETENIA
 Mahogani
 TABERNÆMONTANA
 coronaria
 laurifolia
 TACCA
 integrifolia
 TAMARINDUS
 indica
 TECTONIA
 grandis
 TERMINALIA
 angustifolia

TERMINALIA
 Catappa
 THALIA
 dealbata
 THEOBROMA
 Cacao
 THUNBERGIA
 *alata
 *angulata
 *fragrans
 *grandiflora
 TILLANDSIA
 xiphioides
 TRÆDESCANTIA
 discolor
 fuscata
 TREVIRANA
 coccinea
 TURNERA
 ulmifolia
 URANIA
 speciosa
 URTICA
 nervosa
 VANDA
 rostrata
 VANILLA
 planifolia
 VILLARSIA
 indica
 VINCA
 rosea
 β — alba
 γ — ocellata
 WEBERA
 corymbosa
 XANTHOCHYMUS
 pictorius
 ZAMIA
 furfuracea
 ZINGIBER
 officinale

A LARGE COLLECTION

OF

ANEMONES, double and single

AURICULAS, under name

CARNATIONS, under name

HYACINTHS, under name

Ditto mixed

NARCISSUS, under name

MARTAGON LILIES .

PINKS, under name

POLYANTHUS, ditto

RANUNCULUS, under name

Ditto mixed

TUBEROSE, double

TULIPS, under name

Ditto mixed

KITCHEN GARDEN AND FLOWER SEEDS ;

Catalogues of which may be had.

Best DOUBLE MATS, GARDEN TOOLS, and every

Article for the use of Gardens.

The months of August, September, October, and November are most proper for planting of Bulbous Roots ; as are October, November, December, February, and March for the removal of Trees, Shrubs, &c.



